KAR SYSTEM


CONNECT TO THE SYSTEM

KAR SUPPLY · SHOP · CATALOGUE

CABLE AND WIRE

Power, control, data and speaker cable

in catalogue
44



delivery
Phuket · Thailand

Cable and wire	44
Edition	10.11.2026 · 44 items

Delivery across Phuket and all of Thailand; we state the cost and lead time in the invoice before payment; payment by invoice. Pickup by arrangement.

Diagram is a schematic symbol of the item type, not a product photo
shop.kar.systems · Requests and contact — via the website only

Scan to open this section in the shop
shop.kar.systems/en/?cat=cable#catalog

KAR SUPPLY · SHOP

HOW TO ORDER

1. Pick items on shop.kar.systems or quote SKUs from this catalogue.
2. Send one request on the site: the «Request» button — delivery method and address or district.
3. We confirm availability and invoice: price, lead time and delivery cost — before payment. Payment by invoice, no online payment.

No prices listed: price, availability and lead time come in our reply. Specifications follow manufacturer data; the exact order code is confirmed before invoicing.

DELIVERY

DELIVERY

Delivery across Phuket and all of Thailand; we state the cost and lead time in the invoice before payment; payment by invoice.


Pickup by arrangement.

Phuket and all Thailand


CABLE

CABLE AND WIRE

44 items · Delivery: Phuket · Thailand



CABLE AND WIRE 39




KS-CB-CAT6-OUTDOOR-305 TO ORDER

Outdoor Cat6 cable, double PE jacket, 305 m

Category Cat6
Length 305 m

Unit: box 305 m PRICE ON REQUEST




KS-CB-11252 TO ORDER

HELUKABEL JZ-500 HMH 25 G 1 mm² Control Cable

HELUKABEL · 11252

Unit: m PRICE ON REQUEST




KS-CB-C6AUFEH-D-100 TO ORDER

KLOTZ C6AUFEH-D.100 CAT6A data cable, 100 m roll

KLOTZ · C6AUFEH-D.100

Unit: reel 100 m PRICE ON REQUEST




KS-CB-C7A12EH-D-100 TO ORDER

KLOTZ C7A12EH-D.100 CAT7 data cable, 100 m roll

KLOTZ · C7A12EH-D.100

Unit: reel 100 m PRICE ON REQUEST




KS-CB-CP5RR1Y002 TO ORDER

KLOTZ CP5RR1Y002 CAT5e RJ45 patch cable, 2 m

KLOTZ · CP5RR1Y002

Unit: pc PRICE ON REQUEST




KS-CB-MY206BL-100 TO ORDER

KLOTZ MY206BL.100 blue microphone cable, 100 m roll

KLOTZ · MY206BL.100

Unit: reel 100 m PRICE ON REQUEST




KS-CB-SCH2015-D TO ORDER

KLOTZ SCH2015-D 2 x 1.5 mm² Installation Speaker Cable

KLOTZ · SCH2015-D

Specs 2 x 1.5 mm², 30 x 0.25 mm, 11.8 Ω/km, OD 7.0 mm, black, standard lengths 20/30/50/100/200/300/500 m. FRNC tubular jacket, stranded bare copper,...

Unit: m PRICE ON REQUEST




KS-CB-SCH2025-D TO ORDER

KLOTZ SCH2025-D 2 x 2.5 mm² Installation Speaker Cable

KLOTZ · SCH2025-D

Specs 2 x 2.5 mm², 50 x 0.25 mm, 7 Ω/km, OD 7.6 mm, black, standard lengths 20/30/50/100/200/300/500 m. FRNC tubular jacket, stranded bare copper,...

Unit: m PRICE ON REQUEST




KS-CB-SCH2040-D TO ORDER

KLOTZ SCH2040-D 2 x 4.0 mm² Installation Speaker Cable

KLOTZ · SCH2040-D

Specs 2 x 4.0 mm², 56 x 0.30 mm, 4.35 Ω/km, OD 9.2 mm, black, standard lengths 20/30/50/100/200/300/500 m. FRNC tubular jacket, stranded bare copper,...

Unit: m PRICE ON REQUEST




KS-CB-SCH2060-D TO ORDER

KLOTZ SCH2060-D 2 x 6.0 mm² Installation Speaker Cable

KLOTZ · SCH2060-D

Specs 2 x 6.0 mm², 84 x 0.30 mm, 3 Ω/km, OD 10.6 mm, black, standard lengths 20/30/50/100/200/300/500 m. FRNC tubular jacket, stranded bare copper,...

Unit: m PRICE ON REQUEST




KS-CB-SCH4025-D TO ORDER

KLOTZ SCH4025-D 4 x 2.5 mm² Multicore Speaker Cable

KLOTZ · SCH4025-D

Specs 4 x 2.5 mm², 50 x 0.25 mm, 7 Ω/km, OD 8.8 mm, black, standard lengths 20/30/50/100/200/300/500 m. FRNC tubular jacket, stranded bare copper,...

Unit: m PRICE ON REQUEST




KS-CB-SCH4040-D TO ORDER

KLOTZ SCH4040-D 4 x 4.0 mm² Multicore Speaker Cable

KLOTZ · SCH4040-D

Specs 4 x 4.0 mm², 56 x 0.30 mm, 4.35 Ω/km, OD 10.7 mm, black, standard lengths 20/30/50/100/200/300/500 m. FRNC tubular jacket, stranded bare copper,...

Unit: m PRICE ON REQUEST




KS-CB-SCH4060-D TO ORDER

KLOTZ SCH4060-D 4 x 6.0 mm² Multicore Speaker Cable

KLOTZ · SCH4060-D

Specs 4 x 6.0 mm², 84 x 0.30 mm, 3 Ω/km, OD 12.8 mm, black, standard lengths 100/200/300 m. FRNC tubular jacket, stranded bare copper,...

Unit: m PRICE ON REQUEST




KS-CB-SCH8025-D TO ORDER

KLOTZ SCH8025-D 8 x 2.5 mm² Multicore Speaker Cable

KLOTZ · SCH8025-D

Specs 8 x 2.5 mm², 50 x 0.25 mm, 7 Ω/km, OD 12.8 mm, black, standard length not stated in supplied sheet. FRNC tubular jacket, stranded bare copper,...

Unit: m PRICE ON REQUEST




KS-CB-SCY2025-100 TO ORDER

KLOTZ SCY2025.100 installation speaker cable 2 × 2.5 mm², 100 m roll

KLOTZ · SCY2025.100

Unit: reel 100 m PRICE ON REQUEST




KS-CB-SCY2025WT TO ORDER

KLOTZ SCY2025WT 2 x 2.5 mm² Freshwater/Outdoor Speaker Cable

KLOTZ · SCY2025WT

Specs 2 x 2.5 mm², 50 x 0.25 mm, 7.3 Ω/km, OD 9.0 mm, black. Special PVC, freshwater-tight, for soil/fresh water/concrete, UV EN 50289-4-17, flame...

Unit: m PRICE ON REQUEST




KS-CB-SCY2040-100 TO ORDER

KLOTZ SCY2040.100 installation speaker cable 2 × 4 mm², 100 m roll

KLOTZ · SCY2040.100

Unit: reel 100 m PRICE ON REQUEST




KS-CB-SCY2060-020 TO ORDER

KLOTZ SCY2060.020 installation speaker cable 2 × 6 mm², 20 m piece

KLOTZ · SCY2060.020

Unit: cut length 20 m PRICE ON REQUEST




KS-CB-SCY2060WT TO ORDER

KLOTZ SCY2060WT 2 x 6.0 mm² Freshwater/Outdoor Speaker Cable

KLOTZ · SCY2060WT

Specs 2 x 6.0 mm², 84 x 0.30 mm, 3.0 Ω/km, OD 12.4 mm, black. Special PVC, freshwater-tight, for soil/fresh water/concrete, UV EN 50289-4-17, flame...

Unit: m PRICE ON REQUEST




KS-CB-1550631 TO ORDER

LAPP N2XH-J 5×16 RE halogen-free power cable

LAPP · 1550631

Unit: m PRICE ON REQUEST




KS-CB-US-9106A-1 TO ORDER

LINK US-9106A-1 Cat6 U/UTP cable, 24 AWG, 100 m

LINK · US-9106A-1

Sheath CM, FRPVC
Length 100 m

Unit: box 100 m PRICE ON REQUEST




KS-CB-US-9106LSZH TO ORDER

LINK US-9106LSZH CAT 6 U/UTP LSZH Cable

LINK · US-9106LSZH

Specs CAT 6 U/UTP LSZH indoor cable, 250 MHz, 23 AWG solid bare copper, 305 m/Reelex.

Unit: box 305 m PRICE ON REQUEST




KS-CB-US-9106LSZH-1 TO ORDER

LINK US-9106LSZH-1 Cat6 U/UTP LSZH cable, 23 AWG, 100 m

LINK · US-9106LSZH-1

Length 100 m

Unit: box 100 m PRICE ON REQUEST




KS-CB-US-9156ALSZH TO ORDER

LINK US-9156ALSZH CAT 6A UTP SUPER-S LSZH Cable

LINK · US-9156ALSZH

Specs CAT 6A UTP SUPER-S LSZH, 23 AWG copper, 500 MHz, up to 10 Gbps at 100 m, PoE 802.3af/at/bt, 305 m box.

Unit: box 305 m PRICE ON REQUEST




KCH-PHELPS-DODGE-450-750V TO ORDER

Phelps Dodge 450/750V — Cable THW 70°C PVC

Phelps Dodge · 450/750V

Voltage 450/750 V
Standard 60227 IEC 01

Unit: — PRICE ON REQUEST




KS-CB-CV TO ORDER

Phelps Dodge CV XLPE/PVC Power Cable Family 0.6/1 kV

Phelps Dodge · CV

Unit: m PRICE ON REQUEST




KS-CB-NYY-NYY-G TO ORDER

Phelps Dodge NYY / NYY-G Power Cable Family 450/750 V

Phelps Dodge · NYY / NYY-G

Unit: m PRICE ON REQUEST




KS-CB-60227-IEC-01-THW TO ORDER

SSuper Cable 60227 IEC 01 (THW) 450/750 V Wire

SSuper Cable · 60227 IEC 01 (THW)

Specs 60227 IEC 01 (THW), 450/750 V, 70 C PVC-insulated single-core copper, TIS 11 Part 3-2553 Table 1.

Unit: m PRICE ON REQUEST




KS-CB-CV-0-6-1KV-FAMILY TO ORDER

SSuper Cable 0.6/1 kV CV XLPE/PVC Power Cable Family

SSuper Cable · CV 0.6/1kV family

Specs 0.6/1 kV CV XLPE/PVC power-cable family.

Unit: m PRICE ON REQUEST




KS-CB-CV-3C-X-1-5-MM2 TO ORDER

SSuper Cable CV 0.6/1 kV 3C × 1.5 mm² XLPE/PVC Power Cable

SSuper Cable · CV 3C × 1.5 mm²

Unit: m PRICE ON REQUEST




KS-CB-CV-3C-X-2-5-MM2 TO ORDER

SSuper Cable CV 0.6/1 kV 3C × 2.5 mm² XLPE/PVC Power Cable

SSuper Cable · CV 3C × 2.5 mm²

Unit: m PRICE ON REQUEST




KS-CB-CV-3C-X-4-MM2 TO ORDER

SSuper Cable CV 0.6/1 kV 3C × 4 mm² XLPE/PVC Power Cable

SSuper Cable · CV 3C × 4 mm²

Unit: m PRICE ON REQUEST




KS-CB-CV-3C-X-6-MM2 TO ORDER

SSuper Cable CV 0.6/1 kV 3C × 6 mm² XLPE/PVC Power Cable

SSuper Cable · CV 3C × 6 mm²

Unit: m PRICE ON REQUEST




KS-CB-CV-4C-X-6-MM2 TO ORDER

SSuper Cable CV 0.6/1 kV 4C × 6 mm² XLPE/PVC Power Cable

SSuper Cable · CV 4C × 6 mm²

Unit: m PRICE ON REQUEST




KS-CB-NYY-450-750V-FAMILY TO ORDER

SSuper Cable NYY 450/750 V Power Cable Family

SSuper Cable · NYY 450/750V family

Specs NYY PVC-insulated/double-sheathed power-cable family is rated 450/750 V.

Unit: m PRICE ON REQUEST




KS-CB-NYY-G-4X16-16 TO ORDER

Thai-Yazaki NYY-G 4×16/16 mm² power cable

Thai-Yazaki · NYY-G 4x16/16

Type NYY-G

Unit: m PRICE ON REQUEST




KS-CB-VCT TO ORDER

Thai-Yazaki VCT Flexible Cable Family 450/750 V

Thai-Yazaki · VCT

Unit: m PRICE ON REQUEST




KS-CB-S02N25 TO ORDER

VL Audio S02N25 speaker cable, 100 m reel

VL Audio · S02N25

Unit: reel 100 m PRICE ON REQUEST




KS-CB-S02N40 TO ORDER

VL Audio S02N40 speaker cable, 100 m reel

VL Audio · S02N40

Unit: reel 100 m PRICE ON REQUEST

LIGHTNING PROTECTION AND EARTHING 4




KCH-DEHN-16CU TO ORDER

DEHN 16CU — Earthing cable

DEHN · 16CU

Type EL EZ KS8.5

Unit: — PRICE ON REQUEST




KCH-DEHN-35CU TO ORDER

DEHN 35CU — Earthing cable, 1750 mm

DEHN · 35CU

Type EL KS12.5 8.5

Unit: — PRICE ON REQUEST




KCH-DEHN-R148M TO ORDER

DEHN R148M — Round conductor 8 mm AlMgSi

DEHN · R148M

Material AlMgSi
Weight 135.00 g/m

Unit: — PRICE ON REQUEST



KCH-DEHN-R21M TO ORDER


DEHN R21M — Round conductor 8 mm AlMgSi

DEHN · R21M

Material AlMgSi
Length 21 m

Unit: — PRICE ON REQUEST

EV CHARGING AND PANELS 1



KCH-PHELPS-DODGE-H1Z2Z2-K

TO ORDER

Phelps Dodge H1Z2Z2-K — Photovoltaic cable

Phelps Dodge · H1Z2Z2-K

Standard IEC 62930, IEC 131

Unit: —

PRICE ON REQUEST