KAR SYSTEM


CONNECT TO THE SYSTEM

KAR SUPPLY · SHOP · CATALOGUE

ELECTRICAL AND SWITCHBOARDS

Breakers and protection, enclosures, terminals, cable routes, EV charging

in catalogue
183



delivery
Phuket · Thailand

Electrical and switchboards	183
Edition	10.11.2026 · 183 items

Delivery across Phuket and all of Thailand; we state the cost and lead time in the invoice before payment; payment by invoice. Pickup by arrangement.

Diagram is a schematic symbol of the item type, not a product photo
shop.kar.systems · Requests and contact — via the website only

Scan to open this section in the shop
shop.kar.systems/en/?cat=electrical#catalog

KAR SUPPLY · SHOP

HOW TO ORDER

1. Pick items on shop.kar.systems or quote SKUs from this catalogue.
2. Send one request on the site: the «Request» button — delivery method and address or district.
3. We confirm availability and invoice: price, lead time and delivery cost — before payment. Payment by invoice, no online payment.

No prices listed: price, availability and lead time come in our reply. Specifications follow manufacturer data; the exact order code is confirmed before invoicing.

DELIVERY

DELIVERY

Delivery across Phuket and all of Thailand; we state the cost and lead time in the invoice before payment; payment by invoice.


Pickup by arrangement.

Phuket and all Thailand


ELECTRICAL

ELECTRICAL AND SWITCHBOARDS

183 items · Delivery: Phuket · Thailand



LIGHTNING PROTECTION AND EARTHING 76




KCH-DEHN-30X3-5 — TO ORDER

DEHN 30X3.5 — Hot-dip galvanized steel strip 30x3.5, 50 m coil

DEHN · 30X3.5

Size 30x3.5 mm
Length 50 m

Unit: — PRICE ON REQUEST




KCH-DEHN-4FSP — TO ORDER

DEHN 4FSP — Fixing kit for lateral/horizontal BFRS

DEHN · 4FSP

Size D80 B35
Qty 10

Unit: — PRICE ON REQUEST




KCH-DEHN-6-10STTZN — TO ORDER

DEHN 6.10STTZN — Lightning protection connection clamp, longitudinal/cross, aluminium

DEHN · 6.10STTZN

Standard EN 62561-1

Unit: — PRICE ON REQUEST




KCH-DEHN-985-M12-8 — TO ORDER

DEHN 985-M12-8 — Cable lug M12 for 150 mm²

DEHN · 985-M12-8

Standard DIN

Unit: — PRICE ON REQUEST




KCH-DEHN-985-M16-8 — TO ORDER

DEHN 985-M16-8 — Cable lug M16, galvanized

DEHN · 985-M16-8

Standard DIN

Unit: — PRICE ON REQUEST




KCH-DEHN-AB11 — TO ORDER

DEHN AB11 — Connection bolt for HVI light plus conductor

DEHN · AB11

Diameter Ø10 mm
Length 50 mm

Unit: — PRICE ON REQUEST




KCH-DEHN-B5-5X10 TO ORDER

DEHN B5.5X10 — Wall-mounted conductor holder

DEHN · B5.5X10

Material V2A

Unit: — PRICE ON REQUEST




KCH-DEHN-B6-5 TO ORDER

DEHN B6.5 — Metallic Conductor Holder with Screws

DEHN · B6.5

Type LH KR 6.10 H22 V2A
Material Metallic

Unit: — PRICE ON REQUEST




KCH-DEHN-BW90 TO ORDER

DEHN BW90 — Conductor fixing clamp for supports, stainless steel

DEHN · BW90

Type BB16 / B5.1
Material V2A

Unit: — PRICE ON REQUEST




KCH-DEHN-D150-190 TO ORDER

DEHN D150.190 — Conductor holder Type AH D50

DEHN · D150.190

Type AH
Diameter D50
Length 1000
Material StSt

Unit: — PRICE ON REQUEST




KCH-DEHN-D240 TO ORDER

DEHN D240 — BES base for air-termination rod, M16

DEHN · D240

Weight 8.5 kg
Thread M16

Unit: — PRICE ON REQUEST




KCH-DEHN-D300 TO ORDER

DEHN D300 — Conductor holder GP B10 H60 KS GR

DEHN · D300

Type GP B10 H60 KS GR

Unit: — PRICE ON REQUEST




KCH-DEHN-D370 TO ORDER

DEHN D370 — ULP KS rail, stainless steel V4A

DEHN · D370

Unit: — PRICE ON REQUEST




KCH-DEHN-D40-50 TO ORDER

DEHN D40.50 — Supporting tube DBS KB RA560 STTZN

DEHN · D40.50

Type DBS KB

Unit: — PRICE ON REQUEST




KCH-DEHN-D40-60 TO ORDER

DEHN D40.60 — Pipe clamp for conductor routing, stainless steel

DEHN · D40.60

Material V2A / ZG
Type BB16

Unit: — PRICE ON REQUEST




KCH-DEHN-D50-10 TO ORDER

DEHN D50.10 — Air termination tip StSt 1000 mm

DEHN · D50.10

Material StSt
Length 1000 mm
Type DICS WB 4.2M GFK AL

Unit: — PRICE ON REQUEST




KCH-DEHN-D70-90 TO ORDER

DEHN D70.90 — Pipe clamp for pipes up to Ø90 mm, stainless steel

DEHN · D70.90

Material V2A / ZG
Type BB16

Unit: — PRICE ON REQUEST




KCH-DEHN-FL20 TO ORDER

DEHN FL20 — Roof conductor holder DLH ZS 7.10 KT12 STTZN

DEHN · FL20

Series DLH

Unit: — PRICE ON REQUEST




KCH-DEHN-FL30 TO ORDER

DEHN FL30 — Conductor Holder with Saddle Clamp

DEHN · FL30

Type LH ZS 7.10 AS

Unit: — PRICE ON REQUEST




KCH-DEHN-FP400 TO ORDER

DEHN FP400 — TBM air-termination rod with M20 thread

DEHN · FP400

Thread M20
Standard EN 62561-1+2

Unit: — PRICE ON REQUEST




KCH-DEHN-FP565 TO ORDER

DEHN FP565 — TBM 19.35M air-termination rod

DEHN · FP565

Material STTZN

Unit: — PRICE ON REQUEST




KCH-DEHN-FS1000 TO ORDER

DEHN FS1000 — HVI conductor support D50

DEHN · FS1000

Material GFK V2A 316
Diameter D50
Length 4700

Unit: — PRICE ON REQUEST




KCH-DEHN-FS16-10 TO ORDER

DEHN FS16.10 — Aluminum rod Ø16/10 mm 2500 mm

DEHN · FS16.10

Diameter Ø16 / 10 mm
Length 2500 mm
Material Al
Type SR D50 3200

Unit: — PRICE ON REQUEST




KCH-DEHN-FS2500 TO ORDER

DEHN FS2500 — GFRP air terminal DSH with aluminium

DEHN · FS2500

Unit: — PRICE ON REQUEST




KCH-DEHN-FSP1000 TO ORDER

DEHN FSP1000 — Spring element for sub-roof installation

DEHN · FSP1000

Unit: — PRICE ON REQUEST




KCH-DEHN-FSP500 TO ORDER

DEHN FSP500 — Connection plate SR D40

DEHN · FSP500

Type SR D40

Unit: — PRICE ON REQUEST




KCH-DEHN-GFK16 TO ORDER

DEHN GFK16 — Fixing bracket for lightning protection conductor, stainless steel

DEHN · GFK16

Type DIDH
Material V2A

Unit: — PRICE ON REQUEST




KCH-DEHN-H295 TO ORDER

DEHN H295 — Mounting base DIDLH 8 180x180x70 mm

DEHN · H295

Type DIDLH 8 D300 BS H435

Unit: — PRICE ON REQUEST




KCH-DEHN-H500 TO ORDER

DEHN H500 — Supporting tube SRS D50 STTZN

DEHN · H500

Type SRS
Diameter D50
Size 300 300

Unit: — PRICE ON REQUEST




KCH-DEHN-IGM6 TO ORDER

DEHN IGM6 — Conductor support Rd 8 mm

DEHN · IGM6

Type LH DG
Diameter 8 mm
Material V2A

Unit: — PRICE ON REQUEST




KCH-DEHN-IGM8 TO ORDER

DEHN IGM8 — Conductor holder with slotted saddle clamp

DEHN · IGM8

Type LH DS 8
Version H16 GR / H16 BR

Unit: – PRICE ON REQUEST




KCH-DEHN-KB2-8 TO ORDER

DEHN KB2.8 — Conductor holder for PREFA roof systems, H20, stainless steel

DEHN · KB2.8

Unit: – PRICE ON REQUEST




KCH-DEHN-KB4-16 TO ORDER

DEHN KB4.16 — Conductor holder DEHNsnap for flat roofs, H16, stainless steel

DEHN · KB4.16

Unit: – PRICE ON REQUEST




KCH-DEHN-KB4-6 TO ORDER

DEHN KB4.6 — Conductor holder for loose conductor

DEHN · KB4.6

Type LH PS 8 H16 GR V2A
Material V2A

Unit: – PRICE ON REQUEST




KCH-DEHN-KT16 TO ORDER

DEHN KT16 — Air-termination rods Ø16 mm set

DEHN · KT16

Diameter 16 mm

Unit: – PRICE ON REQUEST




KCH-DEHN-L100M TO ORDER

DEHN L100M — HVI light plus conductor for on-site assembly

DEHN · L100M

Type HVI LI PL 60 21 GR

Unit: – PRICE ON REQUEST




KCH-DEHN-L10M TO ORDER

DEHN L10M — HVI Conductor pre-assembled

DEHN · L10M

Type HVI Conductor
Version pre-assembled
Material GFK AL STTZN

Unit: – PRICE ON REQUEST




KCH-DEHN-L110 TO ORDER

DEHN L110 — Support Ø16 mm

DEHN · L110

Type AD 50 40 STTZN
Diameter 16 mm

Unit: – PRICE ON REQUEST




KCH-DEHN-L115 TO ORDER

DEHN L115 — Conductor holder for ridge, H55

DEHN · L115

Unit: – PRICE ON REQUEST




KCH-DEHN-L11M TO ORDER

DEHN L11M — HVI conductor in insulated duct FM 60 IP HVI M

DEHN · L11M

Unit: – PRICE ON REQUEST




KCH-DEHN-L169 TO ORDER

DEHN L169 — Conductor holder for roof, H16, stainless steel

DEHN · L169

Unit: – PRICE ON REQUEST




KCH-DEHN-L205 TO ORDER

DEHN L205 — Flexible brace for roof surfaces DLH US 8 H16 GR

DEHN · L205

Series DLH

Unit: – PRICE ON REQUEST



KCH-DEHN-L260 TO ORDER

DEHN L260 — Roof conductor holder DLH DQ 6.10 H55 STTZN

DEHN · L260

Series DLH

Unit: – PRICE ON REQUEST




KCH-DEHN-L335 TO ORDER

DEHN L335 — Roof conductor holder DLH US 8 H16 BR GALCU

DEHN · L335

Series DLH

Unit: – PRICE ON REQUEST




KCH-DEHN-L3700 TO ORDER

DEHN L3700 — GFRP air terminal rod D40 with aluminium base

DEHN · L3700

Diameter 40 mm

Unit: — PRICE ON REQUEST




KCH-DEHN-L4700 TO ORDER

DEHN L4700 — GFRP air terminal rod D40 with aluminium base

DEHN · L4700

Diameter 40 mm

Unit: — PRICE ON REQUEST




KCH-DEHN-L475 TO ORDER

DEHN L475 — Roof conductor holder DLH US 8 H36 BR GALCU

DEHN · L475

Series DLH

Unit: — PRICE ON REQUEST



KCH-DEHN-M8X10 TO ORDER


DEHN M8X10 — Screw threaded pin

DEHN · M8X10

Thread M8

Length 10 mm

Unit: — PRICE ON REQUEST




KCH-DEHN-P160 TO ORDER

DEHN P160 — Conductor holder for HVI light plus

DEHN · P160

Unit: — PRICE ON REQUEST




KCH-DEHN-P200 TO ORDER

DEHN P200 — HVI conductor holders in Ex holder

DEHN · P200

Version Ex

Unit: — PRICE ON REQUEST




KCH-DEHN-PHE4 TO ORDER

DEHN PHE4 — Voltage detector

DEHN · PHE4

Unit: — PRICE ON REQUEST




KCH-DEHN-R560 TO ORDER

DEHN R560 — Lightning protection component STTZN

DEHN · R560

Series DBS

Unit: — PRICE ON REQUEST



KCH-DEHN-RA1330 TO ORDER

DEHN RA1330 — Supporting tubes with air-termination Niso Combi


DEHN · RA1330

Material GRP/Al

Diameter D50

Version V2A

Unit: — PRICE ON REQUEST



KCH-DEHN-RA680 TO ORDER

DEHN RA680 — Supporting tube DBS KB D50 V2A with double clamp


DEHN · RA680

Type DBS KB

Diameter D50

Version V2A

Unit: — PRICE ON REQUEST




KCH-DEHN-SB10 TO ORDER

DEHN SB10 — Air termination rod DILH 8 K GR

DEHN · SB10

Type DILH 8 K GR

Unit: — PRICE ON REQUEST




KCH-DEHN-SB100 TO ORDER

DEHN SB100 — Pipe clamp, clamping range 100 mm

DEHN · SB100

Unit: — PRICE ON REQUEST



KCH-DEHN-SB50-300 TO ORDER

DEHN SB50.300 — Lightning protection element, stainless steel, total length 3000 mm

DEHN · SB50.300

Type DIDH

Unit: — PRICE ON REQUEST




KCH-DEHN-SB80-120 TO ORDER

DEHN SB80.120 — Pipe clamp for downpipes with clamping piece

DEHN · SB80.120

Unit: — PRICE ON REQUEST




KCH-DEHN-SK10 TO ORDER

DEHN SK10 — Screw WS 10 for earthing handle

DEHN · SK10

Unit: – PRICE ON REQUEST




KCH-DEHN-SKM10X30 TO ORDER

DEHN SKM10X30 — Two-piece T and parallel clamp

DEHN · SKM10X30

Type MVK 8.10 STTZN

Unit: – PRICE ON REQUEST




KCH-DEHN-SKM8X30 TO ORDER

DEHN SKM8X30 — Multi-purpose connecting clamp

DEHN · SKM8X30

Material V4A

Unit: – PRICE ON REQUEST




KCH-DEHN-SN7089 TO ORDER

DEHN SN7089 — Short-circuiting device for NH fuse strips

DEHN · SN7089

Unit: – PRICE ON REQUEST




KCH-DEHN-SN7114 TO ORDER

DEHN SN7114 — Equipotential bonding bar

DEHN · SN7114

Type EV EHB

Unit: – PRICE ON REQUEST




KCH-DEHN-SN7215 TO ORDER

DEHN SN7215 — Equipotential bonding test terminal

DEHN · SN7215

Type EV TES

Unit: – PRICE ON REQUEST



KCH-DEHN-SN7280 TO ORDER


DEHN SN7280 — Earthing handle type TI KM AB M10

DEHN · SN7280

Type TI. KM AB

Thread M10

Unit: – PRICE ON REQUEST




KCH-DEHN-SR2680 TO ORDER

DEHN SR2680 — HVI light plus conductor 6 m with FSP

DEHN · SR2680

Length 6 m

Unit: – PRICE ON REQUEST



KCH-DEHN-SR3500 TO ORDER

DEHN SR3500 — HVI supporting tube with internal sealing end


DEHN · SR3500

Type HVI P 27

Length L6M

Version FSP

Unit: – PRICE ON REQUEST




KCH-DEHN-V1RC3P2 TO ORDER

DEHN V1RC3P2 — Earthing and short-circuiting device TI

DEHN · V1RC3P2

Type TI

Unit: – PRICE ON REQUEST



KCH-DEHN-VE5E8FZ TO ORDER

DEHN VE5E8FZ — Phase cable end UK 25 SQ


DEHN · VE5E8FZ

Type Phase cable end

Standard UK

Section 25 SQ

Unit: – PRICE ON REQUEST




KCH-DEHN-VE5MT89 TO ORDER

DEHN VE5MT89 — Three-pole Earthing and Short-Circuiting Cables

DEHN · VE5MT89

Unit: – PRICE ON REQUEST




KCH-DEHN-VL2FG28 TO ORDER

DEHN VL2FG28 — Short-Circuiting Bar made of Copper

DEHN · VL2FG28

Unit: – PRICE ON REQUEST




KCH-DEHN-VN35H5D TO ORDER

DEHN VN35H5D — Three-pole earthing and short-circuiting cable

DEHN · VN35H5D

Unit: – PRICE ON REQUEST




KCH-DEHN-VSB29AH TO ORDER

DEHN VSB29AH — Earthing and short-circuiting device TI

DEHN · VSB29AH

Series TI

Unit: – PRICE ON REQUEST




KCH-DEHN-W160 TO ORDER

DEHN W160 — HVI light plus Ex conductor holder

DEHN · W160

Unit: – PRICE ON REQUEST




KCH-DEHN-W200 TO ORDER

DEHN W200 — HVI Ex holder

DEHN · W200

Version Ex

Unit: – PRICE ON REQUEST




KCH-DEHN-WS10 TO ORDER

DEHN WS10 — T connection with hexagon locking screw

DEHN · WS10

Unit: – PRICE ON REQUEST

TERMINALS, COMPONENTS, CONSUMABLES 43




KS-EL-FJ1-5N TO ORDER

BLOXCONNECT FJ1.5N Universal Screw Terminal Block

BLOXCONNECT · FJ1.5N

Specs Universal screw terminal block, 0.14–1.5 mm², IEC 500V/17.5A and UL 300V/15A ratings.

Unit: pc PRICE ON REQUEST



KS-EL-FJ125A TO ORDER

BLOXCONNECT FJ125A Single-Pole Power Distribution Block

BLOXCONNECT · FJ125A

Specs Single-pole power distribution block, IEC 60947-7-1 1000V/125A and UL1059 600V/150A, input 10–35 mm².

Unit: pc PRICE ON REQUEST




KS-EL-FJ160A TO ORDER

BLOXCONNECT FJ160A Single-Pole Power Distribution Block

BLOXCONNECT · FJ160A

Specs Single-pole power distribution block, IEC 60947-7-1 1000V/160A and UL1059 600V/200A, input 10–70 mm².

Unit: pc PRICE ON REQUEST




KS-EL-FJ2-5B TO ORDER

BLOXCONNECT FJ2.5B Universal Screw Terminal Block

BLOXCONNECT · FJ2.5B

Specs Universal screw terminal block, flexible 0.2–2.5 mm² / rigid 0.2–4 mm², IEC 690V/24A and UL 600V/15A.

Unit: pc PRICE ON REQUEST




KS-EL-FJ250A TO ORDER

BLOXCONNECT FJ250A Single-Pole Power Distribution Block

BLOXCONNECT · FJ250A

Specs Single-pole power distribution block, IEC 60947-7-1 1000V/250A and UL1059 600V/255A, input 35–120 mm².

Unit: pc PRICE ON REQUEST




KS-EL-FJ3N TO ORDER

BLOXCONNECT FJ3N Universal Screw Terminal Block

BLOXCONNECT · FJ3N

Specs Universal screw terminal block, flexible 0.2–2.5 mm² / rigid 0.2–4 mm², IEC 800V/32A and UL 600V/20A.

Unit: pc PRICE ON REQUEST




KS-EL-2007432 TO ORDER

OBO T 40 KL Junction Box with Terminal Strip

OBO Bettermann · 2007432

Specs terminal-strip variant, IP56 and IK07.

Unit: pc PRICE ON REQUEST




KS-EL-C20 TO ORDER

Conduit-to-box connector 20 mm

PRI · C20

Unit: pc PRICE ON REQUEST




KS-EL-C25 TO ORDER

Conduit-to-box connector 25 mm

PRI · C25

Unit: pc PRICE ON REQUEST




KS-EL-FC20 TO ORDER

Flexible conduit connector 20 mm

PRI · FC20

Unit: pc PRICE ON REQUEST




KCH-PHELPS-DODGE-TIS-386-2531 TO ORDER

Phelps Dodge TIS-386-2531 — Flame Retardant Insulated Tape

Phelps Dodge · TIS-386-2531

Unit: — PRICE ON REQUEST



KS-EL-UT-4-HESILED-24 TO ORDER

Phoenix Contact UT 4-HESILED 24 fuse terminal with LED

Phoenix Contact · UT 4-HESILED 24

Unit: pc PRICE ON REQUEST




KS-EL-A9S65440 TO ORDER

Schneider Acti9 iSW A9S65440 Switch Disconnector 4P 40A

Schneider Electric · A9S65440

Specs Acti9 iSW, 4P, 40A, 415V, IEC/EN 60947-3.

Unit: pc PRICE ON REQUEST



KS-EL-A9S65463 TO ORDER

Schneider Acti9 iSW A9S65463 Switch Disconnector 4P 63A

Schneider Electric · A9S65463

Specs Acti9 iSW, 4P, 63A, 415V, IEC/EN 60947-3.

Unit: pc PRICE ON REQUEST




KS-EL-NSYTRV22 TO ORDER

Schneider Electric Linergy TR feed-through terminal 2.5 mm² (pack 50)

Schneider Electric · NSYTRV22

Section 2.5 mm²

Unit: pack 50 шт PRICE ON REQUEST




KS-EL-2002-1201 TO ORDER

WAGO TOPJOB S 2002-1201 2-Conductor Through Terminal Block 2.5 mm²

WAGO · 2002-1201

Specs 2-conductor through terminal block, 2.5 mm², Push-in CAGE CLAMP, DIN-rail 35×15 / 35×7.5, gray.

Unit: pc PRICE ON REQUEST




KS-EL-2002-1207 TO ORDER

WAGO TOPJOB S 2002-1207 2-Conductor Ground Terminal Block 2.5 mm²

WAGO · 2002-1207

Specs 2-conductor ground terminal block, 2.5 mm², Push-in CAGE CLAMP, DIN-rail 35×15 / 35×7.5, green-yellow.

Unit: pc PRICE ON REQUEST




KS-EL-2002-1292 TO ORDER

WAGO 2002-1292 End and Intermediate Plate

WAGO · 2002-1292

Unit: pc PRICE ON REQUEST




KS-EL-2002-1611 TO ORDER

WAGO 2002-1611 fuse terminal block (24 V branch protection)

WAGO · 2002-1611

Unit: pc PRICE ON REQUEST




KS-EL-2002-402 TO ORDER

WAGO 2002-402 2-Way Insulated Jumper, Light Gray

WAGO · 2002-402

Unit: pc PRICE ON REQUEST



KS-EL-2002-403 TO ORDER

WAGO 2002-403 3-Way Insulated Jumper, Light Gray

WAGO · 2002-403

Unit: pc PRICE ON REQUEST




KS-EL-2002-404 TO ORDER

WAGO 2002-404 4-Way Insulated Jumper, Light Gray

WAGO · 2002-404

Unit: pc PRICE ON REQUEST




KS-EL-2002-405 TO ORDER

WAGO 2002-405 5-Way Insulated Jumper, Light Gray

WAGO · 2002-405

Unit: pc PRICE ON REQUEST




KS-EL-2002-410 TO ORDER

WAGO 2002-410 10-Way Insulated Jumper, Light Gray

WAGO · 2002-410

Unit: pc PRICE ON REQUEST




KS-EL-2006-1201 TO ORDER

WAGO TOPJOB S 2006-1201 2-Conductor Through Terminal Block 6 mm²

WAGO · 2006-1201

Specs 2-conductor through terminal block, 6 mm², Push-in CAGE CLAMP, DIN-rail 35×15 / 35×7.5, gray.

Unit: pc PRICE ON REQUEST




KS-EL-2006-1207 TO ORDER

WAGO TOPJOB S 2006-1207 2-Conductor Ground Terminal Block 6 mm²

WAGO · 2006-1207

Specs 2-conductor ground terminal block, 6 mm², Push-in CAGE CLAMP, DIN-rail 35×15 / 35×7.5, green-yellow.

Unit: pc PRICE ON REQUEST




KS-EL-2006-1292 TO ORDER

WAGO 2006-1292 End and Intermediate Plate

WAGO · 2006-1292

Unit: pc PRICE ON REQUEST



KS-EL-2006-402 TO ORDER

WAGO 2006-402 2-Way Insulated Jumper, Light Gray

WAGO · 2006-402

Unit: pc PRICE ON REQUEST




KS-EL-2006-403 TO ORDER

WAGO 2006-403 3-Way Insulated Jumper, Light Gray

WAGO · 2006-403

Unit: pc PRICE ON REQUEST




KS-EL-2006-404 TO ORDER

WAGO 2006-404 4-Way Insulated Jumper, Light Gray

WAGO · 2006-404

Unit: pc PRICE ON REQUEST




KS-EL-2006-405 TO ORDER

WAGO 2006-405 5-Way Insulated Jumper, Light Gray

WAGO · 2006-405

Unit: pc PRICE ON REQUEST




KS-EL-2009-115 TO ORDER

WAGO 2009-115 WMB-Inline White Snap-On Marker, 1,500 Pieces/Roll

WAGO · 2009-115

Unit: pack PRICE ON REQUEST




KS-EL-2010-1201 TO ORDER

WAGO TOPJOB S 2010-1201 2-Conductor Through Terminal Block 10 mm²

WAGO · 2010-1201

Specs 2-conductor through terminal block, 10 mm², Push-in CAGE CLAMP, DIN-rail 35×15 / 35×7.5, gray.

Unit: pc PRICE ON REQUEST




KS-EL-2010-1207 TO ORDER

WAGO TOPJOB S 2010-1207 2-Conductor Ground Terminal Block 10 mm²

WAGO · 2010-1207

Specs 2-conductor ground terminal block, 10 mm², Push-in CAGE CLAMP, DIN-rail 35×15 / 35×7.5, green-yellow.

Unit: pc PRICE ON REQUEST




KS-EL-2010-1292 TO ORDER

WAGO 2010-1292 End and Intermediate Plate

WAGO · 2010-1292

Unit: pc PRICE ON REQUEST




KS-EL-2010-402 TO ORDER

WAGO 2010-402 2-Way Insulated Jumper, Light Gray

WAGO · 2010-402

Unit: pc PRICE ON REQUEST




KS-EL-2010-403 TO ORDER

WAGO 2010-403 3-Way Insulated Jumper, Light Gray

WAGO · 2010-403

Unit: pc PRICE ON REQUEST




KS-EL-2010-404 TO ORDER

WAGO 2010-404 4-Way Insulated Jumper, Light Gray

WAGO · 2010-404

Unit: pc PRICE ON REQUEST




KS-EL-2010-405 TO ORDER

WAGO 2010-405 5-Way Insulated Jumper, Light Gray

WAGO · 2010-405

Unit: pc PRICE ON REQUEST




KS-EL-210-112 TO ORDER

WAGO 210-112 Slotted Steel DIN Carrier Rail 35 × 7.5 mm, 2 m

WAGO · 210-112

Unit: pc 2 m PRICE ON REQUEST




KS-EL-216-546 TO ORDER

WAGO 216-546 Insulated Twin Ferrule, 2 × 4 mm², gray

WAGO · 216-546

Unit: pc PRICE ON REQUEST



KS-EL-216-547 TO ORDER

WAGO 216-547 Insulated Twin Ferrule, 2 × 6 mm², yellow

WAGO · 216-547

Unit: pc PRICE ON REQUEST




KS-EL-249-116 TO ORDER

WAGO 249-116 Screwless End Stop, 6 mm Gray, for 35 mm DIN Rail

WAGO · 249-116

Unit: pc PRICE ON REQUEST

BREAKERS AND PROTECTION 17




KCH-OBO-V25-B-C-1-NPE TO ORDER

OBO V25-B+C 1+NPE — Combination arrester Type 1+2, 1-pole + NPE

OBO · V25-B+C 1+NPE

Voltage 280 V

Unit: — PRICE ON REQUEST



KCH-OBO-BETTERMA-1-POLE TO ORDER


OBO Bettermann 1-POLE — Combination surge arrester with NPE

OBO Bettermann · 1-POLE

Type V25 + NPE

Voltage 280 V

Unit: — PRICE ON REQUEST




KS-EL-A9D31810 TO ORDER

Schneider Acti9 iC60H RCBO A9D31810 10A 30mA Type A

Schneider Electric · A9D31810

Specs Acti9 iC60H RCBO, 1P+Ns, 10A, 30mA, Type A, 10kA.

Unit: pc PRICE ON REQUEST




KS-EL-A9D31816 TO ORDER

Schneider Acti9 iC60H RCBO A9D31816 16A 30mA Type A

Schneider Electric · A9D31816

Specs Acti9 iC60H RCBO, 1P+Ns, 16A, 30mA, Type A, 10kA.

Unit: pc PRICE ON REQUEST




KS-EL-A9D31820 TO ORDER

Schneider Acti9 iC60H RCBO A9D31820 20A 30mA Type A

Schneider Electric · A9D31820

Specs Acti9 iC60H RCBO, 1P+Ns, 20A, 30mA, Type A, 10kA.

Unit: pc PRICE ON REQUEST




KS-EL-A9D31825 TO ORDER

Schneider Acti9 iC60H RCBO A9D31825 25A 30mA Type A

Schneider Electric · A9D31825

Specs Acti9 iC60H RCBO, 1P+Ns, 25A, 30mA, Type A, 10kA.

Unit: pc PRICE ON REQUEST



KS-EL-A9F74110 TO ORDER

Schneider Electric Acti9 iC60N MCB 1P 10A C


Schneider Electric · A9F74110

Series Acti9 iC60N

Poles 1P

Rating 10 A

Unit: pc PRICE ON REQUEST




KS-EL-A9F74432 TO ORDER

Schneider Electric Acti9 iC60N MCB 4P 32A C Curve

Schneider Electric · A9F74432

Specs Acti9 iC60N, 4P, 32A, C curve, 6kA IEC/EN 60898-1, 10kA IEC/EN 60947-2.

Unit: pc PRICE ON REQUEST




KS-EL-A9F94425 TO ORDER

Schneider Acti9 iC60L A9F94425 MCB 4P 25A C

Schneider Electric · A9F94425

Specs Acti9 iC60L, 4P, 25A, C curve, 15kA IEC/EN 60898-1, 25kA IEC/EN 60947-2.

Unit: pc PRICE ON REQUEST




KS-EL-A9F94432 TO ORDER

Schneider Acti9 iC60L A9F94432 MCB 4P 32A C

Schneider Electric · A9F94432

Specs Acti9 iC60L, 4P, 32A, C curve.

Unit: pc PRICE ON REQUEST




KS-EL-A9F94440 TO ORDER

Schneider Acti9 iC60L A9F94440 MCB 4P 40A C

Schneider Electric · A9F94440

Specs Acti9 iC60L, 4P, 40A, C curve, 15kA IEC/EN 60898-1, 20kA IEC/EN 60947-2.

Unit: pc PRICE ON REQUEST




KS-EL-A9F94463 TO ORDER

Schneider Acti9 iC60L A9F94463 MCB 4P 63A C

Schneider Electric · A9F94463

Specs Acti9 iC60L, 4P, 63A, C curve.

Unit: pc PRICE ON REQUEST




KS-EL-A9L16482 TO ORDER

Schneider Electric Acti9 iPRD1 12.5 SPD 3P+N 350V Type 1+2

Schneider Electric · A9L16482

Specs Acti9 iPRD1 12.5, combined Type 1+2 SPD, 3P+N, 350V, 12.5kA, remote transfer contact.

Unit: pc PRICE ON REQUEST




KS-EL-A9R51440 TO ORDER

Schneider Electric Acti9 iID RCCB 4P 40A 30mA Type A

Schneider Electric · A9R51440

Specs Acti9 iID RCCB, 4P, 40A, 30mA, Type A, IEC 61008-1 / IEC 61008-2-1 referenced by manufacturer.

Unit: pc PRICE ON REQUEST




KS-EL-A9XPH312 TO ORDER

Schneider Electric Acti9 comb busbar 3P, 12 modules

Schneider Electric · A9XPH312

Series Acti9
Poles 3P

Unit: pc PRICE ON REQUEST




KS-EL-A9Z51440 TO ORDER

Schneider Electric Acti9 iID RCCB 4P 40A 30mA Type B (EV)

Schneider Electric · A9Z51440

Series Acti9 iID
Poles 4P
Rating 40 A
Type B

Unit: pc PRICE ON REQUEST



KS-EL-C25F4TM200 TO ORDER


Schneider ComPacT NSX250F C25F4TM200 Main MCCB 4P 200A

Schneider Electric · C25F4TM200

Specs ComPacT NSX250F, 36kA at 415VAC, 4 poles 4D (neutral fully protected), TMD trip unit 200A.

Unit: pc PRICE ON REQUEST

PIPES AND FITTINGS 11




KS-EL-ATC-METAL-ELECTRICAL-CONDUIT-FAMILY TO ORDER

ATC Metal Electrical Conduit Family

ATC

Unit: pc PRICE ON REQUEST




KS-EL-CP20 TO ORDER

Straight PVC conduit coupling 20 mm

PRI · CP20

Unit: pc PRICE ON REQUEST




KS-EL-CP25 TO ORDER

Straight PVC conduit coupling 25 mm

PRI · CP25

Unit: pc PRICE ON REQUEST




KS-EL-EC20 TO ORDER

PVC conduit elbow 20 mm

PRI · EC20

Unit: pc PRICE ON REQUEST




KS-EL-EC25 TO ORDER

PVC conduit elbow 25 mm

PRI · EC25

Unit: pc PRICE ON REQUEST




KS-EL-WCC2050 TO ORDER

Flexible corrugated PVC conduit 20 mm, 50 m

PRI · WCC2050

Unit: pc PRICE ON REQUEST




KS-EL-WPP20 TO ORDER

Rigid PVC conduit 20 mm

PRI · WPP20

Unit: pc 4 m PRICE ON REQUEST




KS-EL-WPP25 TO ORDER

Rigid PVC conduit 25 mm

PRI · WPP25

Unit: pc 4 m PRICE ON REQUEST




KS-EL-YPP20 TO ORDER

PRI YPP20 Yellow Rigid uPVC Electrical Conduit 20 mm × 4 m

PRI · YPP20

Unit: pc 4 m PRICE ON REQUEST




KS-EL-YPP25 TO ORDER

PRI YPP25 Yellow Rigid uPVC Electrical Conduit 25 mm × 4 m

PRI · YPP25

Unit: pc 4 m PRICE ON REQUEST



KS-EL-PVC-FLEX-18 TO ORDER


SCG flexible PVC conduit 18 mm, 50 m coil

SCG

Diameter 18 mm

Unit: reel 50 m PRICE ON REQUEST

ENCLOSURES AND BOARDS 11




KS-EL-RA20-46TH TO ORDER

NITTO KOGYO RA20-46TH steel enclosure (~400×600×200 mm)

NITTO KOGYO · RA20-46TH

Unit: pc PRICE ON REQUEST




KS-EL-RA20-65TH TO ORDER

NITTO KOGYO RA20-65TH Steel Enclosure 600×500×200 mm

NITTO KOGYO · RA20-65TH

Unit: pc PRICE ON REQUEST




KS-EL-RA25-66 TO ORDER

NITTO KOGYO RA25-66 steel enclosure (~600×600×250 mm)

NITTO KOGYO · RA25-66

Unit: pc PRICE ON REQUEST




KS-EL-1054000 TO ORDER

Rittal AX compact enclosure 600×600×250 mm IP66

Rittal · 1054000

Specs Rittal AX compact enclosure, WHD 600×600×250 mm, sheet steel, mounting plate included, single door, IP66, IK10.

Unit: pc PRICE ON REQUEST




KS-EL-1058000 TO ORDER

Rittal AX compact enclosure 600×800×250 mm IP66

Rittal · 1058000

Specs Rittal AX compact enclosure, WHD 600×800×250 mm, sheet steel, mounting plate included, single door, IP66, IK10.

Unit: pc PRICE ON REQUEST




KS-EL-1180000 TO ORDER

Rittal AX compact enclosure 800×1000×300 mm IP66

Rittal · 1180000

Specs Rittal AX compact enclosure, WHD 800×1000×300 mm, sheet steel, mounting plate included, single door, IP66, IK10.

Unit: pc PRICE ON REQUEST




KS-EL-FILTER-FAN-SET TO ORDER

Enclosure filter fan 230 V + outlet filter + thermostat 0–60 °C, IP54

STEGO

Protection IP54

Unit: set PRICE ON REQUEST




KS-EL-NSYS3D10830P TO ORDER

Schneider PanelSeT S3D NSYS3D10830P Steel Enclosure 1000×800×300 IP66

Schneider Electric · NSYS3D10830P

Specs PanelSeT S3D, plain door, mounting plate, 1000×800×300 mm, IP66, IK10.

Unit: pc PRICE ON REQUEST




KS-EL-NSYS3D6625P TO ORDER

Schneider PanelSeT S3D Enclosure 600×600×250 mm IP66

Schneider Electric · NSYS3D6625P

Specs PanelSeT S3D wall enclosure, plain door, mounting plate, 600×600×250 mm, IP66.

Unit: pc PRICE ON REQUEST




KS-EL-NSYS3D8625P TO ORDER

Schneider PanelSeT S3D Enclosure 800×600×250 mm IP66

Schneider Electric · NSYS3D8625P

Specs PanelSeT S3D wall enclosure, plain door, mounting plate, 800×600×250 mm, IP66.

Unit: pc PRICE ON REQUEST



KS-EL-NSYTRAL220 TO ORDER

Schneider Electric Linergy TR plug-in jumper, 20-pole (pack 50)

Schneider Electric · NSYTRAL220

Unit: pack 50 шт PRICE ON REQUEST

JUNCTION BOXES 10



KS-EL-ATC-ELECTRICAL-BOXES-PULL-JUNCTION-BOXES TO ORDER

ATC Electrical Boxes & Pull/Junction Boxes Family

ATC

Unit: pc PRICE ON REQUEST




KS-EL-KBXS004 TO ORDER

KJL KBXS004 pull box ~200×200×100 mm, screw cover

KJL · KBXS004

Size ≈ 200×200×100 mm

Unit: pc PRICE ON REQUEST




KS-EL-2007045 TO ORDER

OBO T 40 Junction Box with Plug-in Seals

OBO Bettermann · 2007045

Specs 77×77×46 mm internal, 90×90×52 mm overall, 7 entries, IP56, IK07, polypropylene, RAL7035.

Unit: pc PRICE ON REQUEST



KS-EL-2007047 TO ORDER

OBO T 40 ECO Junction Box

OBO Bettermann · 2007047

Specs 77×77×46 mm, 7 entries, IP56 and manufacturer SSU 1.

Unit: pc PRICE ON REQUEST



KS-EL-2007239 TO ORDER

OBO T 60 OE Closed Junction Box

OBO Bettermann · 2007239

Specs closed/no-entry variant, 100×100×46 mm internal, 114×114×57 mm overall, 500 V, IP66, IK08 and polypropylene.

Unit: pc PRICE ON REQUEST



KS-EL-2007805 TO ORDER

OBO T 100 ZE IP30 Junction Box

OBO Bettermann · 2007805

Specs 136×102×57 mm internal, 150×116×67 mm overall, 10 entries, 500 V, IP30, IK07 and polypropylene.

Unit: pc PRICE ON REQUEST



KS-EL-2007922 TO ORDER

OBO T 60 M25 NL Junction Box

OBO Bettermann · 2007922

Unit: pc PRICE ON REQUEST



KS-EL-LGY412548 TO ORDER

Schneider Electric Linergy DS distribution block 4P 125 A

Schneider Electric · LGY412548

Poles 4P

Rating 125 A

Unit: pc PRICE ON REQUEST



KS-EL-LVS04034 TO ORDER

Schneider Electric Linergy DP distribution block 4P 250 A

Schneider Electric · LVS04034

Poles 4P
Rating 250 A

Unit: pc PRICE ON REQUEST



KS-EL-LVS04045 TO ORDER


Schneider Electric Linergy DX distribution block 4P 125 A

Schneider Electric · LVS04045

Poles 4P
Rating 125 A

Unit: pc PRICE ON REQUEST

CONDUITS AND TRUNKING 6




KS-EL-ATC-STRUT-HANGER-SUPPORT-FAMILY TO ORDER

ATC Strut, Hanger & Support Family

ATC

Unit: pc PRICE ON REQUEST




KS-EL-ATC-WIREWAY-CABLE-TRAY-CABLE-LADDER-FAMI TO ORDER

ATC Wireway, Cable Tray & Cable Ladder Family

ATC

Unit: pc PRICE ON REQUEST




KS-EL-KWBG4080 TO ORDER

KJL HDG trunking accessory KWBG4080

KJL · KWBG4080

Unit: pc PRICE ON REQUEST




KS-EL-KWSG4088 TO ORDER

KJL HDG cable trunking 200×100 mm, 2.4 m

KJL · KWSG4088

Section 200×100 mm
Length 2.4 m

Unit: pc 2.4 m PRICE ON REQUEST




KS-EL-3240364 TO ORDER

Phoenix Contact CD-HF 100X100 Halogen-Free Wiring Duct

Phoenix Contact · 3240364

Specs CD-HF 100X100 wiring duct, 100×100×2000 mm, halogen-free PC/ABS, light grey RAL 7035.

Unit: pc 2 m PRICE ON REQUEST



KS-EL-3240604 TO ORDER


Phoenix Contact CD-HF 100X60 BU Halogen-Free Blue Wiring Duct

Phoenix Contact · 3240604

Specs CD-HF 100X60 BU cable duct, 100×60×2000 mm, halogen-free PC/ABS, blue RAL 5015.

Unit: pc 2 m PRICE ON REQUEST

EV CHARGING AND PANELS 3




KS-EL-EVH5A07N2C5 TO ORDER

Schneider Charge EVH5A07N2C5 7.4 kW EV Charger

Schneider Electric · EVH5A07N2C5

Unit: pc PRICE ON REQUEST




KS-EL-EVH5A11N2C5 TO ORDER

Schneider Charge EVH5A11N2C5 11 kW EV Charger

Schneider Electric · EVH5A11N2C5

Unit: pc PRICE ON REQUEST




KS-EL-EVH5A22N2S TO ORDER

Schneider Charge EVH5A22N2S 7.4/11/22 kW EV Charger

Schneider Electric · EVH5A22N2S

Unit: pc PRICE ON REQUEST

CONTROL AND AUTOMATION 2




KS-EL-2966171 TO ORDER

Phoenix Contact PLC-RSC 24 V DC Relay Module

Phoenix Contact · 2966171

Unit: pc PRICE ON REQUEST




KS-EL-2639560000 TO ORDER

Weidmüller TRS T 24 V DC Multifunction Timing Relay

Weidmüller · 2639560000

Unit: pc PRICE ON REQUEST

KAR LIGHT PROFILES 2




KS-EL-MC20 TO ORDER

Conduit mounting clip 20 mm

PRI · MC20

Unit: pc PRICE ON REQUEST




KS-EL-MC25 TO ORDER

Conduit mounting clip 25 mm

PRI · MC25

Unit: pc PRICE ON REQUEST

POWER SUPPLIES 1




KS-EL-2904600 TO ORDER

Phoenix Contact QUINT4 24 V DC / 5 A Power Supply

Phoenix Contact · 2904600

Unit: pc PRICE ON REQUEST

MEASURING AND TESTERS 1



KS-EL-METSEPM3250 TO ORDER

Schneider Electric PowerLogic PM3250 power meter, 3-phase, RS-485 Modbus

Schneider Electric · METSEPM3250

Unit: pc PRICE ON REQUEST