KAR SYSTEM


CONNECT TO THE SYSTEM

KAR SUPPLY · SHOP · CATALOGUE

KAR SUPPLY CATALOGUE

All sections: KAR Light, electrical, cable, AV, Networks & Security, plumbing, finishing, tools

in catalogue
404



delivery
Phuket · Thailand

LED and profiles KAR Light	71
Electrical and switchboards	183
Cable and wire	44
AV and Multiroom	33
Networks & Security	37
Plumbing	6
Finishing and building materials	9
Tools and consumables	21
Edition	10.11.2026 · 404 items

Delivery across Phuket and all of Thailand; we state the cost and lead time in the invoice before payment; payment by invoice. Pickup by arrangement.

Diagram is a schematic symbol of the item type, not a product photo
shop.kar.systems · Requests and contact — via the website only

Scan to open this section in the shop
shop.kar.systems/en/#catalog

KAR SUPPLY · SHOP

HOW TO ORDER

1. Pick items on shop.kar.systems or quote SKUs from this catalogue.
2. Send one request on the site: the «Request» button — delivery method and address or district.
3. We confirm availability and invoice: price, lead time and delivery cost — before payment. Payment by invoice, no online payment.

No prices listed: price, availability and lead time come in our reply. Specifications follow manufacturer data; the exact order code is confirmed before invoicing.


DELIVERY

DELIVERY

Delivery across Phuket and all of Thailand; we state the cost and lead time in the invoice before payment; payment by invoice.

Pickup by arrangement.


Phuket and all Thailand




LED and profiles KAR Light
71 items




Electrical and switchboards
183 items




Cable and wire
44 items




AV and Multiroom
33 items




Networks & Security
37 items



Plumbing
6 items



Finishing and building materials
9 items




Tools and consumables
21 items


LIGHT

LED AND PROFILES KAR LIGHT

71 items · Delivery: Phuket · Thailand



LED STRIPS 25




KS-LT-KL-COB24-3000-IP20 TO ORDER

KAR Light · COB strip 24 V, 3000 K, CRI≥90, ~10 W/m, IP20, 5 m

KAR Light

Voltage	24 V DC
Colour temp.	3000 K
CRI	≥ 90
Power	9.6–14.4 W/m
Width	≤ 10 mm

Unit: reel 5 m PRICE ON REQUEST




KS-LT-KL-COB24-3000-IP65 TO ORDER

KAR Light · COB strip 24 V, 3000 K, CRI≥90, ~10 W/m, IP65 (IP67 on request)

KAR Light

Voltage	24 V DC
Colour temp.	3000 K
CRI	≥ 90
Power	9.6–14.4 W/m

Unit: reel 5 m PRICE ON REQUEST




KS-LT-KL-RGBW24-20W TO ORDER

KAR Light · RGBW strip 24 V (RGB + 3000 K), ~20 W/m

KAR Light

Voltage	24 V DC
Power	≈ 19–20 W/m
Protection	IP20

Unit: m PRICE ON REQUEST




KS-LT-KL-SIDE24-3000 TO ORDER

KAR Light · side-emitting strip 24 V, 3000 K, height ≤6 mm

KAR Light

Voltage	24 V DC
Colour temp.	3000 K
Height	≤ 6 mm

Unit: m PRICE ON REQUEST




KS-LT-KL-STRIP24-3000-5W TO ORDER

KAR Light · 24 V strip, 3000 K, CRI≥90, 4.8 W/m for stairs

KAR Light

Voltage	24 V DC
Colour temp.	3000 K
CRI	≥ 90
Width	≤ 10 mm
Protection	IP20

Unit: reel 5 m PRICE ON REQUEST




KCH-LED-LINEAR-1XD2W TO ORDER

LED Linear 1XD2W — 1 x DIM-to-Warm

LED Linear · 1XD2W

Type	DIM-to-Warm
Qty	1

Unit: — PRICE ON REQUEST




KCH-LED-LINEAR-1XTW TO ORDER

LED Linear 1XTW — 1 x Tunable white

LED Linear · 1XTW

Type	Tunable white
Qty	1

Unit: — PRICE ON REQUEST




KCH-LED-LINEAR-2XD2W TO ORDER

LED Linear 2XD2W — 2 x DIM-to-Warm

LED Linear · 2XD2W

Type	DIM-to-Warm
Qty	2

Unit: — PRICE ON REQUEST




KCH-LED-LINEAR-2XLIN TO ORDER

LED Linear 2XLIN — 2 single channels linear dimming

LED Linear · 2XLIN

Unit: – PRICE ON REQUEST




KCH-LED-LINEAR-2XLOG TO ORDER

LED Linear 2XLOG — 2 single channels (1 & 4) with logarithmic dimming curve

LED Linear · 2XLOG

Channels 2

Unit: – PRICE ON REQUEST



KCH-LED-LINEAR-2XTW TO ORDER


LED Linear 2XTW — 2 x Tunable white

LED Linear · 2XTW

Type Tunable white

Qty 2

Unit: – PRICE ON REQUEST




KCH-LED-LINEAR-4262R TO ORDER

LED Linear 4262R — VarioClamp Contour height-adjustable clamp

LED Linear · 4262R

Unit: – PRICE ON REQUEST




KCH-LED-LINEAR-4XLIN TO ORDER

LED Linear 4XLIN — 4 single channels with linear dimming curve

LED Linear · 4XLIN

Channels 4

Unit: – PRICE ON REQUEST




KCH-LED-LINEAR-4XLOG TO ORDER

LED Linear 4XLOG — 4 single channels with logarithmic dimming curve

LED Linear · 4XLOG

Channels 4

Unit: – PRICE ON REQUEST




KCH-LED-LINEAR-DIM2WARM TO ORDER

LED Linear DIM2WARM — Tunable white

LED Linear · DIM2WARM

Unit: – PRICE ON REQUEST




KCH-LED-LINEAR-HD12 TO ORDER

LED Linear HD12 — VarioLED Flex IQ White NEXUS 24 LED strip

LED Linear · HD12

Beam angle 160°

Unit: – PRICE ON REQUEST



KCH-LED-LINEAR-HD20 TO ORDER


LED Linear HD20 — Flex SIDE VIEW 24V linear LED light

LED Linear · HD20

Voltage 24 V

Beam angle 140°

Unit: – PRICE ON REQUEST



KCH-LED-LINEAR-HD36 TO ORDER


LED Linear HD36 — Flex HYDRA 24V linear LED light 36

LED Linear · HD36

Voltage 24 V

Beam angle 120°

Unit: – PRICE ON REQUEST




KCH-LED-LINEAR-HD42 TO ORDER

LED Linear HD42 — VarioLED Flex IQ White NEXUS 24 LED strip

LED Linear · HD42

Beam angle 160°

Unit: – PRICE ON REQUEST




KCH-LED-LINEAR-HD50 TO ORDER

LED Linear HD50 — VarioLED Flex RGBW LED strip

LED Linear · HD50

Colour RGBW

Unit: – PRICE ON REQUEST



KCH-LED-LINEAR-LD12 TO ORDER

LED Linear LD12 — Flex ECO 24V linear LED light


LED Linear · LD12

Voltage 24 V

Luminous flux 970 lm

Beam angle 120°

Unit: – PRICE ON REQUEST



KCH-LED-LINEAR-LD30 TO ORDER


LED Linear LD30 — Flex IQ White NEXUS 24V linear LED light

LED Linear · LD30

Voltage 24 V

Beam angle 120°

Unit: – PRICE ON REQUEST




KCH-LED-LINEAR-SLD3 TO ORDER

LED Linear SLD3 — Flex HYDRA 24V linear LED light

LED Linear · SLD3

Voltage	24 V
Luminous flux	470 lm
Beam angle	120°

Unit: — PRICE ON REQUEST




KCH-LED-LINEAR-TV-3D TO ORDER

LED Linear TV/3D — VarioLED Flex VENUS True Color

LED Linear · TV/3D

Version	True Color

Unit: — PRICE ON REQUEST




KS-LT-FUT037S TO ORDER

MiLight FUT037S+ RGB+CCT LED Strip Controller

MiLight / Miboxer · FUT037S+

Unit: pc PRICE ON REQUEST

POWER SUPPLIES 16




KS-LT-KL-LED-BOX MADE TO PROJECT

KAR Light · 24 V LED power box: enclosure, PSU, DC protection, ventilation — built to project

KAR Light

Unit: pc PRICE ON REQUEST




KCH-LED-LINEAR-220-240V TO ORDER

LED Linear 220-240V — LED driver 30 W, 220-240 V, IP20, ON/OFF

LED Linear · 220-240V

Power	30 W
Voltage	220-240 V
Protection	IP20

Unit: — PRICE ON REQUEST




KS-LT-ELG-240-24A TO ORDER

MEAN WELL ELG-240-24A PSU 24 V 240 W, LED driver IP65

MEAN WELL · ELG-240-24A

Output	24 V DC
Power	240 W

Unit: pc PRICE ON REQUEST




KS-LT-HDR-150-24 TO ORDER

MEAN WELL HDR-150-24 PSU 24 V 150 W, DIN rail

MEAN WELL · HDR-150-24

Output	24 V DC
Power	150 W

Unit: pc PRICE ON REQUEST




KS-LT-HLG-240H-24A TO ORDER

MEAN WELL HLG-240H-24A PSU 24 V 240 W, LED driver IP65

MEAN WELL · HLG-240H-24A

Output	24 V DC
Power	240 W

Unit: pc PRICE ON REQUEST




KS-LT-HLG-320H-24 TO ORDER

MEAN WELL HLG-320H-24 24V 320W IP67 LED Driver

MEAN WELL · HLG-320H-24

Specs	24V DC. 13.34A. 320.16W. base type IP67 fixed-output LED driver.

Unit: pc PRICE ON REQUEST




KS-LT-HLG-480H-24 TO ORDER

MEAN WELL HLG-480H-24 24V 480W IP67 LED Driver

MEAN WELL · HLG-480H-24

Specs	24V DC. 20A. 480W. base type IP67 fixed-output LED driver.

Unit: pc PRICE ON REQUEST




KS-LT-HLG-600H-24A TO ORDER

MEAN WELL HLG-600H-24A PSU 24 V 600 W, LED driver IP65

MEAN WELL · HLG-600H-24A

Output	24 V DC
Power	600 W

Unit: pc PRICE ON REQUEST




KS-LT-LPV-100-24 TO ORDER

MEAN WELL LPV-100-24 PSU 24 V 100 W, plastic case IP67

MEAN WELL · LPV-100-24

Output 24 V DC
Power 100 W

Unit: pc PRICE ON REQUEST




KS-LT-LPV-150-24 TO ORDER

MEAN WELL LPV-150-24 PSU 24 V 150 W, plastic case IP67

MEAN WELL · LPV-150-24

Output 24 V DC
Power 150 W

Unit: pc PRICE ON REQUEST




KS-LT-LRS-350-24 TO ORDER

MEAN WELL LRS-350-24 24V Power Supply

MEAN WELL · LRS-350-24

Specs LRS-350-24, 24V DC, 14.6A, 350W-class enclosed switching PSU.

Unit: pc PRICE ON REQUEST




KS-LT-NDR-240-24 TO ORDER

MEAN WELL NDR-240-24 PSU 24 V 240 W, DIN rail

MEAN WELL · NDR-240-24

Output 24 V DC
Power 240 W

Unit: pc PRICE ON REQUEST




KS-LT-NDR-480-24 TO ORDER

MEAN WELL NDR-480-24 PSU 24 V 480 W, DIN rail

MEAN WELL · NDR-480-24

Output 24 V DC
Power 480 W

Unit: pc PRICE ON REQUEST




KS-LT-RSP-320-24 TO ORDER

MEAN WELL RSP-320-24 PSU 24 V 320 W, enclosed

MEAN WELL · RSP-320-24

Output 24 V DC
Power 320 W

Unit: pc PRICE ON REQUEST




KS-LT-SDR-240-24 TO ORDER

MEAN WELL SDR-240-24 PSU 24 V 240 W, DIN rail

MEAN WELL · SDR-240-24

Output 24 V DC
Power 240 W

Unit: pc PRICE ON REQUEST



KS-LT-UHP-500-24 TO ORDER


MEAN WELL UHP-500-24 PSU 24 V 500 W, slim case

MEAN WELL · UHP-500-24

Output 24 V DC
Power 500 W

Unit: pc PRICE ON REQUEST

LUMINAIRES 11




KS-LT-KL-DL-24-IP67 TO ORDER

KAR Light · downlight 24 V DC, IP67, 3000 K, CRI≥90, 5–8 W (shower)

KAR Light

Supply 24 V DC
Protection IP67
Colour temp. 3000 K
CRI ≥ 90
Power 5–8 W

Unit: pc PRICE ON REQUEST




KS-LT-INL311 TO ORDER

L&E INL311 12W IP67 Inground Light

L&E · INL311

Specs IP67, 12W, 3000/4000/5700K, 22/40/60° beam, 160×130 mm, 50,000 h.

Unit: pc PRICE ON REQUEST




KS-LT-RAM75 TO ORDER

L&E RAM75 Recessed Downlight 4–8W CRI 80

L&E · RAM75

Specs IP20, 4–8W, 2700–6500K, CRI 80, 88×88×50 mm, 550–600 lm for 6–7W lamp options.

Unit: pc PRICE ON REQUEST




KS-LT-RAQ160D TO ORDER

L&E RAQ160D Recessed Downlight 15–20W CRI 80

L&E · RAQ160D

Specs IP20, 15–20W, 2700–4000K by wattage option, CRI 80, 830–1400 lm, beam options 12/24/40°, 175×175×75 mm.

Unit: pc PRICE ON REQUEST




KS-LT-RFP74D · TO ORDER

L&E RFP74D IP44 Recessed Downlight 4–7W

L&E · RFP74D

Specs IP44, 4–7W, 2700–4000K, 380–620 lm depending lamp option, 85×85×90 mm, 15,000–50,000 h.

Unit: pc — PRICE ON REQUEST




KS-LT-WLL462 · TO ORDER

L&E WLL462 35W IP65 Outdoor Wall Light

L&E · WLL462

Specs IP65, 35W, 3000K, 2660 lm, 150×210×302 mm, 12/24/36/60°, 30,000 h.

Unit: pc — PRICE ON REQUEST




KS-LT-WLL464 · TO ORDER

L&E WLL464 15W IP65 Up/Down Wall Light

L&E · WLL464

Specs IP65, 15W, 3000K, 1180 lm, 250×60×60 mm, up/down wide beam, 30,000 h.

Unit: pc — PRICE ON REQUEST




KCH-LED-LINEAR-ADONIS-ARCHITECTURAL-IP67 · TO ORDER

LED Linear ADONIS ARCHITECTURAL IP67 — Architectural luminaire ADONIS IP67 DarkSky series

LED Linear · ADONIS ARCHITECTURAL IP67

Series DarkSky

Unit: — — PRICE ON REQUEST




KS-LT-FUT078ZR · TO ORDER

MiLight FUT078ZR 9W RGB+CCT Zigbee Anti-Glare Downlight

MiLight / Miboxer · FUT078ZR

Unit: pc — PRICE ON REQUEST




KS-LT-FUTC01 · TO ORDER

MiLight FUTC01 9W RGB+CCT IP66 Garden Light

MiLight / Miboxer · FUTC01

Unit: pc — PRICE ON REQUEST




KS-LT-PLC-RD1 · TO ORDER

MiLight PLC-RD1 2W RGBW IP68 Underground Light

MiLight / Miboxer · PLC-RD1

Unit: pc — PRICE ON REQUEST

KAR LIGHT PROFILES 10




KS-LT-KL-CAPS · TO ORDER

KAR Light · end caps and mounting clips for LED profiles

KAR Light

Unit: pc — PRICE ON REQUEST




KS-LT-KL-PRF-45 · TO ORDER

KAR Light · 45° corner profile, ~15×15 mm, opal

KAR Light

Section ≈ 15×15 mm

Unit: m — PRICE ON REQUEST




KS-LT-KL-PRF-COVE · TO ORDER

KAR Light · aluminium cove/ceiling profile with opal diffuser

KAR Light

Unit: m — PRICE ON REQUEST




KS-LT-KL-PRF-RGBW · TO ORDER

KAR Light · opal profile for RGBW strip, inner width ≥12 mm

KAR Light

Unit: m — PRICE ON REQUEST




KS-LT-KL-PRF-STEP · TO ORDER

KAR Light · low under-step profile for 8–10 mm strip

KAR Light

Unit: m — PRICE ON REQUEST




KS-LT-KL-PRF-TILE-VB · MADE TO PROJECT

KAR Light · tile-edge profile with indirect up-light (LIPROTEC-VB class), made to drawing

KAR Light

Unit: pc — PRICE ON REQUEST




KS-LT-KL-TRIM-L10 TO ORDER

KAR Light · aluminium L tile trim, 10 mm (9 / 11 mm)

KAR Light

Length 2.5 m

Unit: pc 2.5 m PRICE ON REQUEST




KS-LT-TSLD100 TO ORDER

Alusite Lightning Square Trim TSLD100 LED tile trim, 10 mm

Alusite · TSLD100

Protection IPX4

Unit: pc PRICE ON REQUEST




KCH-LED-LINEAR-316L TO ORDER

LED Linear 316L — VarioClip mounting clip, 30 mm, stainless steel

LED Linear · 316L

Width 30 mm

Unit: — PRICE ON REQUEST



KCH-LED-LINEAR-C010 TO ORDER


LED Linear C010 — White metal sliding block set with set screw

LED Linear · C010

Colour White
Type Sliding block Set
Material Metal

Unit: — PRICE ON REQUEST

CONTROL AND AUTOMATION 3




KS-LT-KL-DIM-PWM TO ORDER

KAR Light · push-button PWM dimmer for 24 V single-colour strip, ≥8 A/ch

KAR Light

Unit: pc PRICE ON REQUEST




KS-LT-SR-1009FA TO ORDER

Sunricher SR-1009FA 4-Channel RF RGBW Constant-Voltage Controller

Sunricher · SR-1009FA

Specs 4-channel constant-voltage RF LED controller, 12-36VDC, 5A/channel, 240-720W, RGB/RGBW, manufacturer lists 869.5/434/916.5MHz variants.

Unit: pc PRICE ON REQUEST



KS-LT-SR-2820B TO ORDER


Sunricher SR-2820B RF RGBW Wall Touch Controller

Sunricher · SR-2820B

Specs RF RGBW wall touch controller, 12-24VDC or 100-240VAC variants, 1 zone, 434/869.5MHz standard versions and 916.5MHz US version.

Unit: pc PRICE ON REQUEST

TERMINALS, COMPONENTS, CONSUMABLES 2




KS-LT-KL-CONN TO ORDER

KAR Light · connectors for COB/SMD strip 8 / 10 / 12 mm (strip-wire, strip-strip, corner)

KAR Light

Unit: pc PRICE ON REQUEST




KCH-LED-LINEAR-1907-R TO ORDER

LED Linear 1907-R — LED tape VarioContour

LED Linear · 1907-R

Unit: — PRICE ON REQUEST

NETWORK AND WI-FI 2




KCH-LED-LINEAR-DT6-DT8 TO ORDER

LED Linear DT6/DT8 — CASAMBI to DALI Gateway

LED Linear · DT6/DT8

Unit: — PRICE ON REQUEST




KS-LT-WL-BOX2 TO ORDER

MiLight WL-BOX2 2.4G WiFi Gateway

MiLight / Miboxer · WL-BOX2

Unit: pc PRICE ON REQUEST

BREAKERS AND PROTECTION 1




KS-LT-KL-FUSE-DC TO ORDER

KAR Light · DIN fuse holder 10×38 + fuses ≥32 V DC 6/8/10 A

KAR Light

Unit: pc PRICE ON REQUEST

SENSORS AND LOCKS 1



KS-LT-KL-PIR-24 TO ORDER

KAR Light · PIR sensor 12–24 V DC, dry contact, for stairs

KAR Light


Supply 12–24 V DC

Unit: pc PRICE ON REQUEST


ELECTRICAL

ELECTRICAL AND SWITCHBOARDS

183 items · Delivery: Phuket · Thailand



LIGHTNING PROTECTION AND EARTHING 76




KCH-DEHN-30X3-5 TO ORDER

DEHN 30X3.5 — Hot-dip galvanized steel strip 30x3.5, 50 m coil

DEHN · 30X3.5

Size 30x3.5 mm
Length 50 m

Unit: — PRICE ON REQUEST




KCH-DEHN-4FSP TO ORDER

DEHN 4FSP — Fixing kit for lateral/horizontal BFRS

DEHN · 4FSP

Size D80 B35
Qty 10

Unit: — PRICE ON REQUEST




KCH-DEHN-6-10STTZN TO ORDER

DEHN 6.10STTZN — Lightning protection connection clamp, longitudinal/cross, aluminium

DEHN · 6.10STTZN

Standard EN 62561-1

Unit: — PRICE ON REQUEST




KCH-DEHN-985-M12-8 TO ORDER

DEHN 985-M12-8 — Cable lug M12 for 150 mm²

DEHN · 985-M12-8

Standard DIN

Unit: — PRICE ON REQUEST




KCH-DEHN-985-M16-8 TO ORDER

DEHN 985-M16-8 — Cable lug M16, galvanized

DEHN · 985-M16-8

Standard DIN

Unit: — PRICE ON REQUEST




KCH-DEHN-AB11 TO ORDER

DEHN AB11 — Connection bolt for HVI light plus conductor

DEHN · AB11

Diameter Ø10 mm
Length 50 mm

Unit: — PRICE ON REQUEST




KCH-DEHN-B5-5X10 TO ORDER

DEHN B5.5X10 — Wall-mounted conductor holder

DEHN · B5.5X10

Material V2A

Unit: — PRICE ON REQUEST




KCH-DEHN-B6-5 TO ORDER

DEHN B6.5 — Metallic Conductor Holder with Screws

DEHN · B6.5

Type LH KR 6.10 H22 V2A
Material Metallic

Unit: — PRICE ON REQUEST




KCH-DEHN-BW90 TO ORDER

DEHN BW90 — Conductor fixing clamp for supports, stainless steel

DEHN · BW90

Type BB16 / B5.1
Material V2A

Unit: — PRICE ON REQUEST




KCH-DEHN-D150-190 TO ORDER

DEHN D150.190 — Conductor holder Type AH D50

DEHN · D150.190

Type AH
Diameter D50
Length 1000
Material StSt

Unit: — PRICE ON REQUEST




KCH-DEHN-D240 TO ORDER

DEHN D240 — BES base for air-termination rod, M16

DEHN · D240

Weight 8.5 kg
Thread M16

Unit: — PRICE ON REQUEST




KCH-DEHN-D300 TO ORDER

DEHN D300 — Conductor holder GP B10 H60 KS GR

DEHN · D300

Type GP B10 H60 KS GR

Unit: — PRICE ON REQUEST




KCH-DEHN-D370 TO ORDER

DEHN D370 — ULP KS rail, stainless steel V4A

DEHN · D370

Unit: — PRICE ON REQUEST




KCH-DEHN-D40-50 TO ORDER

DEHN D40.50 — Supporting tube DBS KB RA560 STTZN

DEHN · D40.50

Type DBS KB

Unit: — PRICE ON REQUEST




KCH-DEHN-D40-60 TO ORDER

DEHN D40.60 — Pipe clamp for conductor routing, stainless steel

DEHN · D40.60

Material V2A / ZG
Type BB16

Unit: — PRICE ON REQUEST




KCH-DEHN-D50-10 TO ORDER

DEHN D50.10 — Air termination tip StSt 1000 mm

DEHN · D50.10

Material StSt
Length 1000 mm
Type DICS WB 4.2M GFK AL

Unit: — PRICE ON REQUEST




KCH-DEHN-D70-90 TO ORDER

DEHN D70.90 — Pipe clamp for pipes up to Ø90 mm, stainless steel

DEHN · D70.90

Material V2A / ZG
Type BB16

Unit: — PRICE ON REQUEST




KCH-DEHN-FL20 TO ORDER

DEHN FL20 — Roof conductor holder DLH ZS 7.10 KT12 STTZN

DEHN · FL20

Series DLH

Unit: — PRICE ON REQUEST




KCH-DEHN-FL30 TO ORDER

DEHN FL30 — Conductor Holder with Saddle Clamp

DEHN · FL30

Type LH ZS 7.10 AS

Unit: — PRICE ON REQUEST




KCH-DEHN-FP400 TO ORDER

DEHN FP400 — TBM air-termination rod with M20 thread

DEHN · FP400

Thread M20
Standard EN 62561-1+2

Unit: — PRICE ON REQUEST




KCH-DEHN-FP565 TO ORDER

DEHN FP565 — TBM 19.35M air-termination rod

DEHN · FP565

Material STTZN

Unit: — PRICE ON REQUEST




KCH-DEHN-FS1000 TO ORDER

DEHN FS1000 — HVI conductor support D50

DEHN · FS1000

Material GFK V2A 316
Diameter D50
Length 4700

Unit: — PRICE ON REQUEST




KCH-DEHN-FS16-10 TO ORDER

DEHN FS16.10 — Aluminum rod Ø16/10 mm 2500 mm

DEHN · FS16.10

Diameter	Ø16 / 10 mm
Length	2500 mm
Material	Al
Type	SR D50 3200

Unit: — PRICE ON REQUEST




KCH-DEHN-FS2500 TO ORDER

DEHN FS2500 — GFRP air terminal DSH with aluminium

DEHN · FS2500

Unit: — PRICE ON REQUEST




KCH-DEHN-FSP1000 TO ORDER

DEHN FSP1000 — Spring element for sub-roof installation

DEHN · FSP1000

Unit: — PRICE ON REQUEST




KCH-DEHN-FSP500 TO ORDER

DEHN FSP500 — Connection plate SR D40

DEHN · FSP500

Type	SR D40

Unit: — PRICE ON REQUEST




KCH-DEHN-GFK16 TO ORDER

DEHN GFK16 — Fixing bracket for lightning protection conductor, stainless steel

DEHN · GFK16

Type	DIDH
Material	V2A

Unit: — PRICE ON REQUEST




KCH-DEHN-H295 TO ORDER

DEHN H295 — Mounting base DIDLH 8 180x180x70 mm

DEHN · H295

Type	DIDLH 8 D300 BS H435

Unit: — PRICE ON REQUEST




KCH-DEHN-H500 TO ORDER

DEHN H500 — Supporting tube SRS D50 STTZN

DEHN · H500

Type	SRS
Diameter	D50
Size	300 300

Unit: — PRICE ON REQUEST




KCH-DEHN-IGM6 TO ORDER

DEHN IGM6 — Conductor support Rd 8 mm

DEHN · IGM6

Type	LH DG
Diameter	8 mm
Material	V2A

Unit: — PRICE ON REQUEST




KCH-DEHN-IGM8 TO ORDER

DEHN IGM8 — Conductor holder with slotted saddle clamp

DEHN · IGM8

Type	LH DS 8
Version	H16 GR / H16 BR

Unit: — PRICE ON REQUEST




KCH-DEHN-KB2-8 TO ORDER

DEHN KB2.8 — Conductor holder for PREFA roof systems, H20, stainless steel

DEHN · KB2.8

Unit: — PRICE ON REQUEST




KCH-DEHN-KB4-16 TO ORDER

DEHN KB4.16 — Conductor holder DEHNsnap for flat roofs, H16, stainless steel

DEHN · KB4.16

Unit: — PRICE ON REQUEST




KCH-DEHN-KB4-6 TO ORDER

DEHN KB4.6 — Conductor holder for loose conductor

DEHN · KB4.6

Type	LH PS 8 H16 GR V2A
Material	V2A

Unit: — PRICE ON REQUEST




KCH-DEHN-KT16 TO ORDER

DEHN KT16 — Air-termination rods Ø16 mm set

DEHN · KT16

Diameter 16 mm

Unit: — PRICE ON REQUEST




KCH-DEHN-L10M TO ORDER

DEHN L10M — HVI Conductor pre-assembled

DEHN · L10M

Type HVI Conductor
Version pre-assembled
Material GFK AL STTZN

Unit: — PRICE ON REQUEST




KCH-DEHN-L115 TO ORDER

DEHN L115 — Conductor holder for ridge, H55

DEHN · L115

Unit: — PRICE ON REQUEST




KCH-DEHN-L169 TO ORDER

DEHN L169 — Conductor holder for roof, H16, stainless steel

DEHN · L169

Unit: — PRICE ON REQUEST




KCH-DEHN-L260 TO ORDER

DEHN L260 — Roof conductor holder DLH DQ 6.10 H55 STTZN

DEHN · L260

Series DLH

Unit: — PRICE ON REQUEST




KCH-DEHN-L3700 TO ORDER

DEHN L3700 — GFRP air terminal rod D40 with aluminium base

DEHN · L3700

Diameter 40 mm

Unit: — PRICE ON REQUEST




KCH-DEHN-L475 TO ORDER

DEHN L475 — Roof conductor holder DLH US 8 H36 BR GALCU

DEHN · L475

Series DLH

Unit: — PRICE ON REQUEST




KCH-DEHN-L100M TO ORDER

DEHN L100M — HVI light plus conductor for on-site assembly

DEHN · L100M

Type HVI LI PL 60 21 GR

Unit: — PRICE ON REQUEST




KCH-DEHN-L110 TO ORDER

DEHN L110 — Support Ø16 mm

DEHN · L110

Type AD 50 40 STTZN
Diameter 16 mm

Unit: — PRICE ON REQUEST




KCH-DEHN-L11M TO ORDER

DEHN L11M — HVI conductor in insulated duct FM 60 IP HVI M

DEHN · L11M

Unit: — PRICE ON REQUEST




KCH-DEHN-L205 TO ORDER

DEHN L205 — Flexible brace for roof surfaces DLH US 8 H16 GR

DEHN · L205

Series DLH

Unit: — PRICE ON REQUEST




KCH-DEHN-L335 TO ORDER

DEHN L335 — Roof conductor holder DLH US 8 H16 BR GALCU

DEHN · L335

Series DLH

Unit: — PRICE ON REQUEST




KCH-DEHN-L4700 TO ORDER

DEHN L4700 — GFRP air terminal rod D40 with aluminium base

DEHN · L4700

Diameter 40 mm

Unit: — PRICE ON REQUEST




KCH-DEHN-M8X10 TO ORDER

DEHN M8X10 — Screw threaded pin

DEHN · M8X10

Thread M8
Length 10 mm

Unit: — PRICE ON REQUEST




KCH-DEHN-P160 TO ORDER

DEHN P160 — Conductor holder for HVI light plus

DEHN · P160

Unit: – PRICE ON REQUEST




KCH-DEHN-P200 TO ORDER

DEHN P200 — HVI conductor holders in Ex holder

DEHN · P200

Version Ex

Unit: – PRICE ON REQUEST




KCH-DEHN-PHE4 TO ORDER

DEHN PHE4 — Voltage detector

DEHN · PHE4

Unit: – PRICE ON REQUEST




KCH-DEHN-R560 TO ORDER

DEHN R560 — Lightning protection component STTZN

DEHN · R560

Series DBS

Unit: – PRICE ON REQUEST




KCH-DEHN-RA1330 TO ORDER

DEHN RA1330 — Supporting tubes with air-termination Niso Combi

DEHN · RA1330

Material GRP/Al
Diameter D50
Version V2A

Unit: – PRICE ON REQUEST




KCH-DEHN-RA680 TO ORDER

DEHN RA680 — Supporting tube DBS KB D50 V2A with double clamp

DEHN · RA680

Type DBS KB
Diameter D50
Version V2A

Unit: – PRICE ON REQUEST




KCH-DEHN-SB10 TO ORDER

DEHN SB10 — Air termination rod DILH 8 K GR

DEHN · SB10

Type DILH 8 K GR

Unit: – PRICE ON REQUEST




KCH-DEHN-SB100 TO ORDER

DEHN SB100 — Pipe clamp, clamping range 100 mm

DEHN · SB100

Unit: – PRICE ON REQUEST




KCH-DEHN-SB50-300 TO ORDER

DEHN SB50.300 — Lightning protection element, stainless steel, total length 3000 mm

DEHN · SB50.300

Type DIDH

Unit: – PRICE ON REQUEST




KCH-DEHN-SB80-120 TO ORDER

DEHN SB80.120 — Pipe clamp for downpipes with clamping piece

DEHN · SB80.120

Unit: – PRICE ON REQUEST




KCH-DEHN-SK10 TO ORDER

DEHN SK10 — Screw WS 10 for earthing handle

DEHN · SK10

Unit: – PRICE ON REQUEST




KCH-DEHN-SKM10X30 TO ORDER

DEHN SKM10X30 — Two-piece T and parallel clamp

DEHN · SKM10X30

Type MVK 8.10 STTZN

Unit: – PRICE ON REQUEST




KCH-DEHN-SKM8X30 TO ORDER

DEHN SKM8X30 — Multi-purpose connecting clamp

DEHN · SKM8X30

Material V4A

Unit: – PRICE ON REQUEST




KCH-DEHN-SN7089 TO ORDER

DEHN SN7089 — Short-circuiting device for NH fuse strips

DEHN · SN7089

Unit: – PRICE ON REQUEST




KCH-DEHN-SN7114 TO ORDER

DEHN SN7114 — Equipotential bonding bar

DEHN · SN7114

Type EV EHB

Unit: – PRICE ON REQUEST




KCH-DEHN-SN7215 TO ORDER

DEHN SN7215 — Equipotential bonding test terminal

DEHN · SN7215

Type EV TES

Unit: – PRICE ON REQUEST



KCH-DEHN-SN7280 TO ORDER


DEHN SN7280 — Earthing handle type TI KM AB M10

DEHN · SN7280

Type TI. KM AB

Thread M10

Unit: – PRICE ON REQUEST




KCH-DEHN-SR2680 TO ORDER

DEHN SR2680 — HVI light plus conductor 6 m with FSP

DEHN · SR2680

Length 6 m

Unit: – PRICE ON REQUEST



KCH-DEHN-SR3500 TO ORDER

DEHN SR3500 — HVI supporting tube with internal sealing end


DEHN · SR3500

Type HVI P 27

Length L6M

Version FSP

Unit: – PRICE ON REQUEST




KCH-DEHN-V1RC3P2 TO ORDER

DEHN V1RC3P2 — Earthing and short-circuiting device TI

DEHN · V1RC3P2

Type TI

Unit: – PRICE ON REQUEST



KCH-DEHN-VE5E8FZ TO ORDER

DEHN VE5E8FZ — Phase cable end UK 25 SQ


DEHN · VE5E8FZ

Type Phase cable end

Standard UK

Section 25 SQ

Unit: – PRICE ON REQUEST




KCH-DEHN-VE5MT89 TO ORDER

DEHN VE5MT89 — Three-pole Earthing and Short-Circuiting Cables

DEHN · VE5MT89

Unit: – PRICE ON REQUEST




KCH-DEHN-VL2FG28 TO ORDER

DEHN VL2FG28 — Short-Circuiting Bar made of Copper

DEHN · VL2FG28

Unit: – PRICE ON REQUEST




KCH-DEHN-VN35H5D TO ORDER

DEHN VN35H5D — Three-pole earthing and short-circuiting cable

DEHN · VN35H5D

Unit: – PRICE ON REQUEST




KCH-DEHN-VSB29AH TO ORDER

DEHN VSB29AH — Earthing and short-circuiting device TI

DEHN · VSB29AH

Series TI

Unit: – PRICE ON REQUEST



KCH-DEHN-W160 TO ORDER

DEHN W160 — HVI light plus Ex conductor holder

DEHN · W160

Unit: – PRICE ON REQUEST



KCH-DEHN-W200 TO ORDER

DEHN W200 — HVI Ex holder

DEHN · W200

Version Ex

Unit: – PRICE ON REQUEST



KCH-DEHN-WS10 TO ORDER

DEHN WS10 — T connection with hexagon locking screw

DEHN · WS10

Unit: – PRICE ON REQUEST




KS-EL-FJ1-5N TO ORDER

BLOXCONNECT FJ1.5N Universal Screw Terminal Block

BLOXCONNECT · FJ1.5N

Specs Universal screw terminal block, 0.14–1.5 mm², IEC 500V/17.5A and UL 300V/15A ratings.

Unit: pc PRICE ON REQUEST



KS-EL-FJ125A TO ORDER

BLOXCONNECT FJ125A Single-Pole Power Distribution Block

BLOXCONNECT · FJ125A

Specs Single-pole power distribution block, IEC 60947-7-1 1000V/125A and UL1059 600V/150A, input 10–35 mm².

Unit: pc PRICE ON REQUEST




KS-EL-FJ160A TO ORDER

BLOXCONNECT FJ160A Single-Pole Power Distribution Block

BLOXCONNECT · FJ160A

Specs Single-pole power distribution block, IEC 60947-7-1 1000V/160A and UL1059 600V/200A, input 10–70 mm².

Unit: pc PRICE ON REQUEST




KS-EL-FJ2-5B TO ORDER

BLOXCONNECT FJ2.5B Universal Screw Terminal Block

BLOXCONNECT · FJ2.5B

Specs Universal screw terminal block, flexible 0.2–2.5 mm² / rigid 0.2–4 mm², IEC 690V/24A and UL 600V/15A.

Unit: pc PRICE ON REQUEST




KS-EL-FJ250A TO ORDER

BLOXCONNECT FJ250A Single-Pole Power Distribution Block

BLOXCONNECT · FJ250A

Specs Single-pole power distribution block, IEC 60947-7-1 1000V/250A and UL1059 600V/255A, input 35–120 mm².

Unit: pc PRICE ON REQUEST




KS-EL-FJ3N TO ORDER

BLOXCONNECT FJ3N Universal Screw Terminal Block

BLOXCONNECT · FJ3N

Specs Universal screw terminal block, flexible 0.2–2.5 mm² / rigid 0.2–4 mm², IEC 800V/32A and UL 600V/20A.

Unit: pc PRICE ON REQUEST




KS-EL-2007432 TO ORDER

OBO T 40 KL Junction Box with Terminal Strip

OBO Bettermann · 2007432

Specs terminal-strip variant, IP56 and IK07.

Unit: pc PRICE ON REQUEST




KS-EL-C20 TO ORDER

Conduit-to-box connector 20 mm

PRI · C20

Unit: pc PRICE ON REQUEST




KS-EL-C25 TO ORDER

Conduit-to-box connector 25 mm

PRI · C25

Unit: pc PRICE ON REQUEST




KS-EL-FC20 TO ORDER

Flexible conduit connector 20 mm

PRI · FC20

Unit: pc PRICE ON REQUEST




KCH-PHELPS-DODGE-TIS-386-2531 TO ORDER

Phelps Dodge TIS-386-2531 — Flame Retardant Insulated Tape

Phelps Dodge · TIS-386-2531

Unit: — PRICE ON REQUEST




KS-EL-UT-4-HESILED-24 TO ORDER

Phoenix Contact UT 4-HESILED 24 fuse terminal with LED

Phoenix Contact · UT 4-HESILED 24

Unit: pc PRICE ON REQUEST



KS-EL-A9S65440 TO ORDER

Schneider Acti9 iSW A9S65440 Switch Disconnector 4P 40A

Schneider Electric · A9S65440

Specs Acti9 iSW, 4P, 40A, 415V, IEC/EN 60947-3.

Unit: pc PRICE ON REQUEST




KS-EL-A9S65463 TO ORDER

Schneider Acti9 iSW A9S65463 Switch Disconnector 4P 63A

Schneider Electric · A9S65463

Specs Acti9 iSW, 4P, 63A, 415V, IEC/EN 60947-3.

Unit: pc PRICE ON REQUEST




KS-EL-NSYTRV22 TO ORDER

Schneider Electric Linergy TR feed-through terminal 2.5 mm² (pack 50)

Schneider Electric · NSYTRV22

Section 2.5 mm²

Unit: pack 50 шт PRICE ON REQUEST




KS-EL-2002-1201 TO ORDER

WAGO TOPJOB S 2002-1201 2-Conductor Through Terminal Block 2.5 mm²

WAGO · 2002-1201

Specs 2-conductor through terminal block, 2.5 mm², Push-in CAGE CLAMP, DIN-rail 35×15 / 35×7.5, gray.

Unit: pc PRICE ON REQUEST




KS-EL-2002-1207 TO ORDER

WAGO TOPJOB S 2002-1207 2-Conductor Ground Terminal Block 2.5 mm²

WAGO · 2002-1207

Specs 2-conductor ground terminal block, 2.5 mm², Push-in CAGE CLAMP, DIN-rail 35×15 / 35×7.5, green-yellow.

Unit: pc PRICE ON REQUEST




KS-EL-2002-1292 TO ORDER

WAGO 2002-1292 End and Intermediate Plate

WAGO · 2002-1292

Unit: pc PRICE ON REQUEST




KS-EL-2002-1611 TO ORDER

WAGO 2002-1611 fuse terminal block (24 V branch protection)

WAGO · 2002-1611

Unit: pc PRICE ON REQUEST



KS-EL-2002-402 TO ORDER

WAGO 2002-402 2-Way Insulated Jumper, Light Gray

WAGO · 2002-402

Unit: pc PRICE ON REQUEST




KS-EL-2002-403 TO ORDER

WAGO 2002-403 3-Way Insulated Jumper, Light Gray

WAGO · 2002-403

Unit: pc PRICE ON REQUEST




KS-EL-2002-404 TO ORDER

WAGO 2002-404 4-Way Insulated Jumper, Light Gray

WAGO · 2002-404

Unit: pc PRICE ON REQUEST




KS-EL-2002-405 TO ORDER

WAGO 2002-405 5-Way Insulated Jumper, Light Gray

WAGO · 2002-405

Unit: pc PRICE ON REQUEST




KS-EL-2002-410 TO ORDER

WAGO 2002-410 10-Way Insulated Jumper, Light Gray

WAGO · 2002-410

Unit: pc PRICE ON REQUEST




KS-EL-2006-1201 TO ORDER

WAGO TOPJOB S 2006-1201 2-Conductor Through Terminal Block 6 mm²

WAGO · 2006-1201

Specs 2-conductor through terminal block, 6 mm², Push-in CAGE CLAMP, DIN-rail 35×15 / 35×7.5, gray.

Unit: pc PRICE ON REQUEST




KS-EL-2006-1207 TO ORDER

WAGO TOPJOB S 2006-1207 2-Conductor Ground Terminal Block 6 mm²

WAGO · 2006-1207

Specs 2-conductor ground terminal block, 6 mm², Push-in CAGE CLAMP, DIN-rail 35×15 / 35×7.5, green-yellow.

Unit: pc PRICE ON REQUEST



KS-EL-2006-1292 TO ORDER

WAGO 2006-1292 End and Intermediate Plate

WAGO · 2006-1292

Unit: pc PRICE ON REQUEST




KS-EL-2006-402 TO ORDER

WAGO 2006-402 2-Way Insulated Jumper, Light Gray

WAGO · 2006-402

Unit: pc PRICE ON REQUEST




KS-EL-2006-403 TO ORDER

WAGO 2006-403 3-Way Insulated Jumper, Light Gray

WAGO · 2006-403

Unit: pc PRICE ON REQUEST



KS-EL-2006-404 TO ORDER

WAGO 2006-404 4-Way Insulated Jumper, Light Gray

WAGO · 2006-404

Unit: pc PRICE ON REQUEST




KS-EL-2006-405 TO ORDER

WAGO 2006-405 5-Way Insulated Jumper, Light Gray

WAGO · 2006-405

Unit: pc PRICE ON REQUEST




KS-EL-2009-115 TO ORDER

WAGO 2009-115 WMB-Inline White Snap-On Marker, 1,500 Pieces/Roll

WAGO · 2009-115

Unit: pack PRICE ON REQUEST




KS-EL-2010-1201 TO ORDER

WAGO TOPJOB S 2010-1201 2-Conductor Through Terminal Block 10 mm²

WAGO · 2010-1201

Specs 2-conductor through terminal block, 10 mm², Push-in CAGE CLAMP, DIN-rail 35×15 / 35×7.5, gray.

Unit: pc PRICE ON REQUEST




KS-EL-2010-1207 TO ORDER

WAGO TOPJOB S 2010-1207 2-Conductor Ground Terminal Block 10 mm²

WAGO · 2010-1207

Specs 2-conductor ground terminal block, 10 mm², Push-in CAGE CLAMP, DIN-rail 35×15 / 35×7.5, green-yellow.

Unit: pc PRICE ON REQUEST




KS-EL-2010-1292 TO ORDER

WAGO 2010-1292 End and Intermediate Plate

WAGO · 2010-1292

Unit: pc PRICE ON REQUEST




KS-EL-2010-402 TO ORDER

WAGO 2010-402 2-Way Insulated Jumper, Light Gray

WAGO · 2010-402

Unit: pc PRICE ON REQUEST




KS-EL-2010-403 TO ORDER

WAGO 2010-403 3-Way Insulated Jumper, Light Gray

WAGO · 2010-403

Unit: pc PRICE ON REQUEST




KS-EL-2010-404 TO ORDER

WAGO 2010-404 4-Way Insulated Jumper, Light Gray

WAGO · 2010-404

Unit: pc PRICE ON REQUEST




KS-EL-2010-405 TO ORDER

WAGO 2010-405 5-Way Insulated Jumper, Light Gray

WAGO · 2010-405

Unit: pc PRICE ON REQUEST




KS-EL-210-112 TO ORDER

WAGO 210-112 Slotted Steel DIN Carrier Rail 35 × 7.5 mm, 2 m

WAGO · 210-112

Unit: pc 2 m PRICE ON REQUEST



KS-EL-216-546 TO ORDER

WAGO 216-546 Insulated Twin Ferrule, 2 × 4 mm², gray

WAGO · 216-546

Unit: pc PRICE ON REQUEST




KS-EL-216-547 TO ORDER

WAGO 216-547 Insulated Twin Ferrule, 2 × 6 mm², yellow

WAGO · 216-547

Unit: pc PRICE ON REQUEST




KS-EL-249-116 TO ORDER

WAGO 249-116 Screwless End Stop, 6 mm Gray, for 35 mm DIN Rail

WAGO · 249-116

Unit: pc PRICE ON REQUEST




KCH-OBO-V25-B-C-1-NPE TO ORDER

OBO V25-B+C 1+NPE — Combination arrester Type 1+2, 1-pole + NPE

OBO · V25-B+C 1+NPE

Voltage 280 V

Unit: — PRICE ON REQUEST



KCH-OBO-BETTERMA-1-POLE TO ORDER


OBO Bettermann 1-POLE — Combination surge arrester with NPE

OBO Bettermann · 1-POLE

Type V25 + NPE

Voltage 280 V

Unit: — PRICE ON REQUEST




KS-EL-A9D31810 TO ORDER

Schneider Acti9 iC60H RCBO A9D31810 10A 30mA Type A

Schneider Electric · A9D31810

Specs Acti9 iC60H RCBO, 1P+Ns, 10A, 30mA, Type A, 10kA.

Unit: pc PRICE ON REQUEST




KS-EL-A9D31816 TO ORDER

Schneider Acti9 iC60H RCBO A9D31816 16A 30mA Type A

Schneider Electric · A9D31816

Specs Acti9 iC60H RCBO, 1P+Ns, 16A, 30mA, Type A, 10kA.

Unit: pc PRICE ON REQUEST




KS-EL-A9D31820 TO ORDER

Schneider Acti9 iC60H RCBO A9D31820 20A 30mA Type A

Schneider Electric · A9D31820

Specs Acti9 iC60H RCBO, 1P+Ns, 20A, 30mA, Type A, 10kA.

Unit: pc PRICE ON REQUEST




KS-EL-A9D31825 TO ORDER

Schneider Acti9 iC60H RCBO A9D31825 25A 30mA Type A

Schneider Electric · A9D31825

Specs Acti9 iC60H RCBO, 1P+Ns, 25A, 30mA, Type A, 10kA.

Unit: pc PRICE ON REQUEST



KS-EL-A9F74110 TO ORDER

Schneider Electric Acti9 iC60N MCB 1P 10A C


Schneider Electric · A9F74110

Series Acti9 iC60N

Poles 1P

Rating 10 A

Unit: pc PRICE ON REQUEST




KS-EL-A9F74432 TO ORDER

Schneider Electric Acti9 iC60N MCB 4P 32A C Curve

Schneider Electric · A9F74432

Specs Acti9 iC60N, 4P, 32A, C curve, 6kA IEC/EN 60898-1, 10kA IEC/EN 60947-2.

Unit: pc PRICE ON REQUEST




KS-EL-A9F94425 TO ORDER

Schneider Acti9 iC60L A9F94425 MCB 4P 25A C

Schneider Electric · A9F94425

Specs Acti9 iC60L, 4P, 25A, C curve, 15kA IEC/EN 60898-1, 25kA IEC/EN 60947-2.

Unit: pc PRICE ON REQUEST




KS-EL-A9F94432 TO ORDER

Schneider Acti9 iC60L A9F94432 MCB 4P 32A C

Schneider Electric · A9F94432

Specs Acti9 iC60L, 4P, 32A, C curve.

Unit: pc PRICE ON REQUEST




KS-EL-A9F94440 TO ORDER

Schneider Acti9 iC60L A9F94440 MCB 4P 40A C

Schneider Electric · A9F94440

Specs Acti9 iC60L, 4P, 40A, C curve, 15kA IEC/EN 60898-1, 20kA IEC/EN 60947-2.

Unit: pc PRICE ON REQUEST




KS-EL-A9F94463 TO ORDER

Schneider Acti9 iC60L A9F94463 MCB 4P 63A C

Schneider Electric · A9F94463

Specs Acti9 iC60L, 4P, 63A, C curve.

Unit: pc PRICE ON REQUEST




KS-EL-A9L16482 TO ORDER

Schneider Electric Acti9 iPRD1 12.5 SPD 3P+N 350V Type 1+2

Schneider Electric · A9L16482

Specs Acti9 iPRD1 12.5, combined Type 1+2 SPD, 3P+N, 350V, 12.5kA, remote transfer contact.

Unit: pc PRICE ON REQUEST




KS-EL-A9R51440 TO ORDER

Schneider Electric Acti9 iID RCCB 4P 40A 30mA Type A

Schneider Electric · A9R51440

Specs Acti9 iID RCCB, 4P, 40A, 30mA, Type A, IEC 61008-1 / IEC 61008-2-1 referenced by manufacturer.

Unit: pc PRICE ON REQUEST



KS-EL-A9XPH312 TO ORDER


Schneider Electric Acti9 comb busbar 3P, 12 modules

Schneider Electric · A9XPH312

Series Acti9

Poles 3P

Unit: pc PRICE ON REQUEST



KS-EL-A9Z51440 TO ORDER

Schneider Electric Acti9 iID RCCB 4P 40A 30mA Type B (EV)

Schneider Electric · A9Z51440


Series Acti9 iID

Poles 4P

Rating 40 A

Type B

Unit: pc PRICE ON REQUEST



KS-EL-C25F4TM200 TO ORDER


Schneider ComPacT NSX250F C25F4TM200 Main MCCB 4P 200A

Schneider Electric · C25F4TM200

Specs ComPacT NSX250F, 36kA at 415VAC, 4 poles 4D (neutral fully protected), TMD trip unit 200A.

Unit: pc PRICE ON REQUEST

PIPES AND FITTINGS 11




KS-EL-ATC-METAL-ELECTRICAL-CONDUIT-FAMILY TO ORDER

ATC Metal Electrical Conduit Family

ATC

Unit: pc PRICE ON REQUEST




KS-EL-CP20 TO ORDER

Straight PVC conduit coupling 20 mm

PRI · CP20

Unit: pc PRICE ON REQUEST




KS-EL-CP25 TO ORDER

Straight PVC conduit coupling 25 mm

PRI · CP25

Unit: pc PRICE ON REQUEST




KS-EL-EC20 TO ORDER

PVC conduit elbow 20 mm

PRI · EC20

Unit: pc PRICE ON REQUEST




KS-EL-EC25 TO ORDER

PVC conduit elbow 25 mm

PRI · EC25

Unit: pc PRICE ON REQUEST




KS-EL-WCC2050 TO ORDER

Flexible corrugated PVC conduit 20 mm, 50 m

PRI · WCC2050

Unit: pc PRICE ON REQUEST




KS-EL-WPP20 TO ORDER

Rigid PVC conduit 20 mm

PRI · WPP20

Unit: pc 4 m PRICE ON REQUEST




KS-EL-WPP25 TO ORDER

Rigid PVC conduit 25 mm

PRI · WPP25

Unit: pc 4 m PRICE ON REQUEST




KS-EL-YPP20 TO ORDER

PRI YPP20 Yellow Rigid uPVC Electrical Conduit 20 mm × 4 m

PRI · YPP20

Unit: pc 4 m PRICE ON REQUEST




KS-EL-YPP25 TO ORDER

PRI YPP25 Yellow Rigid uPVC Electrical Conduit 25 mm × 4 m

PRI · YPP25

Unit: pc 4 m PRICE ON REQUEST



KS-EL-PVC-FLEX-18 TO ORDER


SCG flexible PVC conduit 18 mm, 50 m coil

SCG

Diameter 18 mm

Unit: reel 50 m PRICE ON REQUEST

ENCLOSURES AND BOARDS 11




KS-EL-RA20-46TH TO ORDER

NITTO KOGYO RA20-46TH steel enclosure (~400×600×200 mm)

NITTO KOGYO · RA20-46TH

Unit: pc PRICE ON REQUEST




KS-EL-RA20-65TH TO ORDER

NITTO KOGYO RA20-65TH Steel Enclosure 600×500×200 mm

NITTO KOGYO · RA20-65TH

Unit: pc PRICE ON REQUEST




KS-EL-RA25-66 TO ORDER

NITTO KOGYO RA25-66 steel enclosure (~600×600×250 mm)

NITTO KOGYO · RA25-66

Unit: pc PRICE ON REQUEST




KS-EL-1054000 TO ORDER

Rittal AX compact enclosure 600×600×250 mm IP66

Rittal · 1054000

Specs Rittal AX compact enclosure, WHD 600×600×250 mm, sheet steel, mounting plate included, single door, IP66, IK10.

Unit: pc PRICE ON REQUEST




KS-EL-1058000 TO ORDER

Rittal AX compact enclosure 600×800×250 mm IP66

Rittal · 1058000

Specs Rittal AX compact enclosure, WHD 600×800×250 mm, sheet steel, mounting plate included, single door, IP66, IK10.

Unit: pc PRICE ON REQUEST




KS-EL-1180000 TO ORDER

Rittal AX compact enclosure 800×1000×300 mm IP66

Rittal · 1180000

Specs Rittal AX compact enclosure, WHD 800×1000×300 mm, sheet steel, mounting plate included, single door, IP66, IK10.

Unit: pc PRICE ON REQUEST




KS-EL-FILTER-FAN-SET TO ORDER

Enclosure filter fan 230 V + outlet filter + thermostat 0–60 °C, IP54

STEGO

Protection IP54

Unit: set PRICE ON REQUEST




KS-EL-NSYS3D10830P TO ORDER

Schneider PanelSeT S3D NSYS3D10830P Steel Enclosure 1000×800×300 IP66

Schneider Electric · NSYS3D10830P

Specs PanelSeT S3D, plain door, mounting plate, 1000×800×300 mm, IP66, IK10.

Unit: pc PRICE ON REQUEST




KS-EL-NSYS3D6625P TO ORDER

Schneider PanelSeT S3D Enclosure 600×600×250 mm IP66

Schneider Electric · NSYS3D6625P

Specs PanelSeT S3D wall enclosure, plain door, mounting plate, 600×600×250 mm, IP66.

Unit: pc PRICE ON REQUEST




KS-EL-NSYS3D8625P TO ORDER

Schneider PanelSeT S3D Enclosure 800×600×250 mm IP66

Schneider Electric · NSYS3D8625P

Specs PanelSeT S3D wall enclosure, plain door, mounting plate, 800×600×250 mm, IP66.

Unit: pc PRICE ON REQUEST



KS-EL-NSYTRAL220 TO ORDER

Schneider Electric Linergy TR plug-in jumper, 20-pole (pack 50)

Schneider Electric · NSYTRAL220

Unit: pack 50 шт PRICE ON REQUEST

JUNCTION BOXES 10



KS-EL-ATC-ELECTRICAL-BOXES-PULL-JUNCTION-BOXES TO ORDER

ATC Electrical Boxes & Pull/Junction Boxes Family

ATC

Unit: pc PRICE ON REQUEST




KS-EL-KBXS004 TO ORDER

KJL KBXS004 pull box ~200×200×100 mm, screw cover

KJL · KBXS004

Size ≈ 200×200×100 mm

Unit: pc PRICE ON REQUEST




KS-EL-2007045 TO ORDER

OBO T 40 Junction Box with Plug-in Seals

OBO Bettermann · 2007045

Specs 77×77×46 mm internal, 90×90×52 mm overall, 7 entries, IP56, IK07, polypropylene, RAL7035.

Unit: pc PRICE ON REQUEST



KS-EL-2007047 TO ORDER

OBO T 40 ECO Junction Box

OBO Bettermann · 2007047

Specs 77×77×46 mm, 7 entries, IP56 and manufacturer SSU 1.

Unit: pc PRICE ON REQUEST



KS-EL-2007239 TO ORDER

OBO T 60 OE Closed Junction Box

OBO Bettermann · 2007239

Specs closed/no-entry variant, 100×100×46 mm internal, 114×114×57 mm overall, 500 V, IP66, IK08 and polypropylene.

Unit: pc PRICE ON REQUEST



KS-EL-2007805 TO ORDER

OBO T 100 ZE IP30 Junction Box

OBO Bettermann · 2007805

Specs 136×102×57 mm internal, 150×116×67 mm overall, 10 entries, 500 V, IP30, IK07 and polypropylene.

Unit: pc PRICE ON REQUEST



KS-EL-2007922 TO ORDER

OBO T 60 M25 NL Junction Box

OBO Bettermann · 2007922

Unit: pc PRICE ON REQUEST



KS-EL-LGY412548 TO ORDER

Schneider Electric Linergy DS distribution block 4P 125 A

Schneider Electric · LGY412548

Poles 4P

Rating 125 A

Unit: pc PRICE ON REQUEST



KS-EL-LVS04034 TO ORDER

Schneider Electric Linergy DP distribution block 4P 250 A

Schneider Electric · LVS04034

Poles 4P
Rating 250 A

Unit: pc PRICE ON REQUEST



KS-EL-LVS04045 TO ORDER


Schneider Electric Linergy DX distribution block 4P 125 A

Schneider Electric · LVS04045

Poles 4P
Rating 125 A

Unit: pc PRICE ON REQUEST

CONDUITS AND TRUNKING 6




KS-EL-ATC-STRUT-HANGER-SUPPORT-FAMILY TO ORDER

ATC Strut, Hanger & Support Family

ATC

Unit: pc PRICE ON REQUEST




KS-EL-ATC-WIREWAY-CABLE-TRAY-CABLE-LADDER-FAMI TO ORDER

ATC Wireway, Cable Tray & Cable Ladder Family

ATC

Unit: pc PRICE ON REQUEST




KS-EL-KWBG4080 TO ORDER

KJL HDG trunking accessory KWBG4080

KJL · KWBG4080

Unit: pc PRICE ON REQUEST




KS-EL-KWSG4088 TO ORDER

KJL HDG cable trunking 200×100 mm, 2.4 m

KJL · KWSG4088

Section 200×100 mm
Length 2.4 m

Unit: pc 2.4 m PRICE ON REQUEST




KS-EL-3240364 TO ORDER

Phoenix Contact CD-HF 100X100 Halogen-Free Wiring Duct

Phoenix Contact · 3240364

Specs CD-HF 100X100 wiring duct, 100×100×2000 mm, halogen-free PC/ABS, light grey RAL 7035.

Unit: pc 2 m PRICE ON REQUEST



KS-EL-3240604 TO ORDER


Phoenix Contact CD-HF 100X60 BU Halogen-Free Blue Wiring Duct

Phoenix Contact · 3240604

Specs CD-HF 100X60 BU cable duct, 100×60×2000 mm, halogen-free PC/ABS, blue RAL 5015.

Unit: pc 2 m PRICE ON REQUEST

EV CHARGING AND PANELS 3




KS-EL-EVH5A07N2C5 TO ORDER

Schneider Charge EVH5A07N2C5 7.4 kW EV Charger

Schneider Electric · EVH5A07N2C5

Unit: pc PRICE ON REQUEST




KS-EL-EVH5A11N2C5 TO ORDER

Schneider Charge EVH5A11N2C5 11 kW EV Charger

Schneider Electric · EVH5A11N2C5

Unit: pc PRICE ON REQUEST




KS-EL-EVH5A22N2S TO ORDER

Schneider Charge EVH5A22N2S 7.4/11/22 kW EV Charger

Schneider Electric · EVH5A22N2S

Unit: pc PRICE ON REQUEST

CONTROL AND AUTOMATION 2




KS-EL-2966171 TO ORDER

Phoenix Contact PLC-RSC 24 V DC Relay Module

Phoenix Contact · 2966171

Unit: pc PRICE ON REQUEST




KS-EL-2639560000 TO ORDER

Weidmüller TRS T 24 V DC Multifunction Timing Relay

Weidmüller · 2639560000

Unit: pc PRICE ON REQUEST

KAR LIGHT PROFILES 2




KS-EL-MC20 TO ORDER

Conduit mounting clip 20 mm

PRI · MC20

Unit: pc PRICE ON REQUEST




KS-EL-MC25 TO ORDER

Conduit mounting clip 25 mm

PRI · MC25

Unit: pc PRICE ON REQUEST

POWER SUPPLIES 1




KS-EL-2904600 TO ORDER

Phoenix Contact QUINT4 24 V DC / 5 A Power Supply

Phoenix Contact · 2904600

Unit: pc PRICE ON REQUEST

MEASURING AND TESTERS 1



KS-EL-METSEPM3250 TO ORDER

Schneider Electric PowerLogic PM3250 power meter, 3-phase, RS-485 Modbus


Schneider Electric · METSEPM3250

Unit: pc PRICE ON REQUEST


CABLE

CABLE AND WIRE

44 items · Delivery: Phuket · Thailand



CABLE AND WIRE 39




KS-CB-CAT6-OUTDOOR-305 TO ORDER

Outdoor Cat6 cable, double PE jacket, 305 m

Category Cat6
Length 305 m

Unit: box 305 m PRICE ON REQUEST




KS-CB-11252 TO ORDER

HELUKABEL JZ-500 HMH 25 G 1 mm² Control Cable

HELUKABEL · 11252

Unit: m PRICE ON REQUEST




KS-CB-C6AUFEH-D-100 TO ORDER

KLOTZ C6AUFEH-D.100 CAT6A data cable, 100 m roll

KLOTZ · C6AUFEH-D.100

Unit: reel 100 m PRICE ON REQUEST




KS-CB-C7A12EH-D-100 TO ORDER

KLOTZ C7A12EH-D.100 CAT7 data cable, 100 m roll

KLOTZ · C7A12EH-D.100

Unit: reel 100 m PRICE ON REQUEST




KS-CB-CP5RR1Y002 TO ORDER

KLOTZ CP5RR1Y002 CAT5e RJ45 patch cable, 2 m

KLOTZ · CP5RR1Y002

Unit: pc PRICE ON REQUEST




KS-CB-MY206BL-100 TO ORDER

KLOTZ MY206BL.100 blue microphone cable, 100 m roll

KLOTZ · MY206BL.100

Unit: reel 100 m PRICE ON REQUEST




KS-CB-SCH2015-D TO ORDER

KLOTZ SCH2015-D 2 x 1.5 mm² Installation Speaker Cable

KLOTZ · SCH2015-D

Specs 2 x 1.5 mm², 30 x 0.25 mm, 11.8 Ω/km, OD 7.0 mm, black, standard lengths 20/30/50/100/200/300/500 m. FRNC tubular jacket, stranded bare copper,...

Unit: m PRICE ON REQUEST




KS-CB-SCH2025-D TO ORDER

KLOTZ SCH2025-D 2 x 2.5 mm² Installation Speaker Cable

KLOTZ · SCH2025-D

Specs 2 x 2.5 mm², 50 x 0.25 mm, 7 Ω/km, OD 7.6 mm, black, standard lengths 20/30/50/100/200/300/500 m. FRNC tubular jacket, stranded bare copper,...

Unit: m PRICE ON REQUEST




KS-CB-SCH2040-D TO ORDER

KLOTZ SCH2040-D 2 x 4.0 mm² Installation Speaker Cable

KLOTZ · SCH2040-D

Specs 2 x 4.0 mm², 56 x 0.30 mm, 4.35 Ω/km, OD 9.2 mm, black, standard lengths 20/30/50/100/200/300/500 m. FRNC tubular jacket, stranded bare copper,...

Unit: m PRICE ON REQUEST




KS-CB-SCH2060-D TO ORDER

KLOTZ SCH2060-D 2 x 6.0 mm² Installation Speaker Cable

KLOTZ · SCH2060-D

Specs 2 x 6.0 mm², 84 x 0.30 mm, 3 Ω/km, OD 10.6 mm, black, standard lengths 20/30/50/100/200/300/500 m. FRNC tubular jacket, stranded bare copper,...

Unit: m PRICE ON REQUEST




KS-CB-SCH4025-D TO ORDER

KLOTZ SCH4025-D 4 x 2.5 mm² Multicore Speaker Cable

KLOTZ · SCH4025-D

Specs 4 x 2.5 mm², 50 x 0.25 mm, 7 Ω/km, OD 8.8 mm, black, standard lengths 20/30/50/100/200/300/500 m. FRNC tubular jacket, stranded bare copper,...

Unit: m PRICE ON REQUEST




KS-CB-SCH4040-D TO ORDER

KLOTZ SCH4040-D 4 x 4.0 mm² Multicore Speaker Cable

KLOTZ · SCH4040-D

Specs 4 x 4.0 mm², 56 x 0.30 mm, 4.35 Ω/km, OD 10.7 mm, black, standard lengths 20/30/50/100/200/300/500 m. FRNC tubular jacket, stranded bare copper,...

Unit: m PRICE ON REQUEST




KS-CB-SCH4060-D TO ORDER

KLOTZ SCH4060-D 4 x 6.0 mm² Multicore Speaker Cable

KLOTZ · SCH4060-D

Specs 4 x 6.0 mm², 84 x 0.30 mm, 3 Ω/km, OD 12.8 mm, black, standard lengths 100/200/300 m. FRNC tubular jacket, stranded bare copper,...

Unit: m PRICE ON REQUEST




KS-CB-SCH8025-D TO ORDER

KLOTZ SCH8025-D 8 x 2.5 mm² Multicore Speaker Cable

KLOTZ · SCH8025-D

Specs 8 x 2.5 mm², 50 x 0.25 mm, 7 Ω/km, OD 12.8 mm, black, standard length not stated in supplied sheet. FRNC tubular jacket, stranded bare copper,...

Unit: m PRICE ON REQUEST




KS-CB-SCY2025-100 TO ORDER

KLOTZ SCY2025.100 installation speaker cable 2 × 2.5 mm², 100 m roll

KLOTZ · SCY2025.100

Unit: reel 100 m PRICE ON REQUEST




KS-CB-SCY2025WT TO ORDER

KLOTZ SCY2025WT 2 x 2.5 mm² Freshwater/Outdoor Speaker Cable

KLOTZ · SCY2025WT

Specs 2 x 2.5 mm², 50 x 0.25 mm, 7.3 Ω/km, OD 9.0 mm, black. Special PVC, freshwater-tight, for soil/fresh water/concrete, UV EN 50289-4-17, flame...

Unit: m PRICE ON REQUEST




KS-CB-SCY2040-100 TO ORDER

KLOTZ SCY2040.100 installation speaker cable 2 × 4 mm², 100 m roll

KLOTZ · SCY2040.100

Unit: reel 100 m PRICE ON REQUEST




KS-CB-SCY2060-020 TO ORDER

KLOTZ SCY2060.020 installation speaker cable 2 × 6 mm², 20 m piece

KLOTZ · SCY2060.020

Unit: cut length 20 m PRICE ON REQUEST




KS-CB-SCY2060WT TO ORDER

KLOTZ SCY2060WT 2 x 6.0 mm² Freshwater/Outdoor Speaker Cable

KLOTZ · SCY2060WT

Specs 2 x 6.0 mm², 84 x 0.30 mm, 3.0 Ω/km, OD 12.4 mm, black. Special PVC, freshwater-tight, for soil/fresh water/concrete, UV EN 50289-4-17, flame...

Unit: m PRICE ON REQUEST




KS-CB-1550631 TO ORDER

LAPP N2XH-J 5×16 RE halogen-free power cable

LAPP · 1550631

Unit: m PRICE ON REQUEST




KS-CB-US-9106A-1 TO ORDER

LINK US-9106A-1 Cat6 U/UTP cable, 24 AWG, 100 m

LINK · US-9106A-1

Sheath CM, FRPVC
Length 100 m

Unit: box 100 m PRICE ON REQUEST




KS-CB-US-9106LSZH TO ORDER

LINK US-9106LSZH CAT 6 U/UTP LSZH Cable

LINK · US-9106LSZH

Specs CAT 6 U/UTP LSZH indoor cable, 250 MHz, 23 AWG solid bare copper, 305 m/Reelex.

Unit: box 305 m PRICE ON REQUEST




KS-CB-US-9106LSZH-1 TO ORDER

LINK US-9106LSZH-1 Cat6 U/UTP LSZH cable, 23 AWG, 100 m

LINK · US-9106LSZH-1

Length 100 m

Unit: box 100 m PRICE ON REQUEST




KS-CB-US-9156ALSZH TO ORDER

LINK US-9156ALSZH CAT 6A UTP SUPER-S LSZH Cable

LINK · US-9156ALSZH

Specs CAT 6A UTP SUPER-S LSZH, 23 AWG copper, 500 MHz, up to 10 Gbps at 100 m, PoE 802.3af/at/bt, 305 m box.

Unit: box 305 m PRICE ON REQUEST



KCH-PHELPS-DODGE-450-750V TO ORDER


Phelps Dodge 450/750V — Cable THW 70°C PVC

Phelps Dodge · 450/750V

Voltage 450/750 V

Standard 60227 IEC 01

Unit: — PRICE ON REQUEST




KS-CB-CV TO ORDER

Phelps Dodge CV XLPE/PVC Power Cable Family 0.6/1 kV

Phelps Dodge · CV

Unit: m PRICE ON REQUEST




KS-CB-NYY-NYY-G TO ORDER

Phelps Dodge NYY / NYY-G Power Cable Family 450/750 V

Phelps Dodge · NYY / NYY-G

Unit: m PRICE ON REQUEST




KS-CB-60227-IEC-01-THW TO ORDER

SSuper Cable 60227 IEC 01 (THW) 450/750 V Wire

SSuper Cable · 60227 IEC 01 (THW)

Specs 60227 IEC 01 (THW), 450/750 V, 70 C PVC-insulated single-core copper, TIS 11 Part 3-2553 Table 1.

Unit: m PRICE ON REQUEST




KS-CB-CV-0-6-1KV-FAMILY TO ORDER

SSuper Cable 0.6/1 kV CV XLPE/PVC Power Cable Family

SSuper Cable · CV 0.6/1kV family

Specs 0.6/1 kV CV XLPE/PVC power-cable family.

Unit: m PRICE ON REQUEST




KS-CB-CV-3C-X-1-5-MM2 TO ORDER

SSuper Cable CV 0.6/1 kV 3C × 1.5 mm² XLPE/PVC Power Cable

SSuper Cable · CV 3C × 1.5 mm²

Unit: m PRICE ON REQUEST




KS-CB-CV-3C-X-2-5-MM2 TO ORDER

SSuper Cable CV 0.6/1 kV 3C × 2.5 mm² XLPE/PVC Power Cable

SSuper Cable · CV 3C × 2.5 mm²

Unit: m PRICE ON REQUEST




KS-CB-CV-3C-X-4-MM2 TO ORDER

SSuper Cable CV 0.6/1 kV 3C × 4 mm² XLPE/PVC Power Cable

SSuper Cable · CV 3C × 4 mm²

Unit: m PRICE ON REQUEST




KS-CB-CV-3C-X-6-MM2 TO ORDER

SSuper Cable CV 0.6/1 kV 3C × 6 mm² XLPE/PVC Power Cable

SSuper Cable · CV 3C × 6 mm²

Unit: m PRICE ON REQUEST




KS-CB-CV-4C-X-6-MM2 TO ORDER

SSuper Cable CV 0.6/1 kV 4C × 6 mm² XLPE/PVC Power Cable

SSuper Cable · CV 4C × 6 mm²

Unit: m PRICE ON REQUEST




KS-CB-NYY-450-750V-FAMILY TO ORDER

SSuper Cable NYY 450/750 V Power Cable Family

SSuper Cable · NYY 450/750V family

Specs NYY PVC-insulated/double-sheathed power-cable family is rated 450/750 V.

Unit: m PRICE ON REQUEST




KS-CB-NYY-G-4X16-16 TO ORDER

Thai-Yazaki NYY-G 4×16/16 mm² power cable

Thai-Yazaki · NYY-G 4x16/16

Type NYY-G

Unit: m PRICE ON REQUEST




KS-CB-VCT TO ORDER

Thai-Yazaki VCT Flexible Cable Family 450/750 V

Thai-Yazaki · VCT

Unit: m PRICE ON REQUEST




KS-CB-S02N25 TO ORDER

VL Audio S02N25 speaker cable, 100 m reel

VL Audio · S02N25

Unit: reel 100 m PRICE ON REQUEST




KS-CB-S02N40 TO ORDER

VL Audio S02N40 speaker cable, 100 m reel

VL Audio · S02N40

Unit: reel 100 m PRICE ON REQUEST

LIGHTNING PROTECTION AND EARTHING 4




KCH-DEHN-16CU TO ORDER

DEHN 16CU — Earthing cable

DEHN · 16CU

Type EL EZ KS8.5

Unit: — PRICE ON REQUEST




KCH-DEHN-35CU TO ORDER

DEHN 35CU — Earthing cable, 1750 mm

DEHN · 35CU

Type EL KS12.5 8.5

Unit: — PRICE ON REQUEST



KCH-DEHN-R148M TO ORDER


DEHN R148M — Round conductor 8 mm AlMgSi

DEHN · R148M

Material AlMgSi

Weight 135.00 g/m

Unit: — PRICE ON REQUEST



KCH-DEHN-R21M TO ORDER

DEHN R21M — Round conductor 8 mm AlMgSi


DEHN · R21M

Material AlMgSi

Length 21 m

Unit: — PRICE ON REQUEST

EV CHARGING AND PANELS 1



KCH-PHELPS-DODGE-H1Z2Z2-K TO ORDER

Phelps Dodge H1Z2Z2-K — Photovoltaic cable

Phelps Dodge · H1Z2Z2-K


Standard IEC 62930, IEC 131

Unit: — PRICE ON REQUEST


AV

AV AND MULTIROOM

33 items · Delivery: Phuket · Thailand



SPEAKERS 20




KS-AV-02323-001 TO ORDER

AXIS C1211-E Network Ceiling Speaker

Axis Communications · 02323-001

Specs 4 in ceiling speaker, 93 dB SPL, 40 Hz–16 kHz, 130° coverage, 7 W Class D, PoE.

Unit: pc PRICE ON REQUEST




KS-AV-02324-001 TO ORDER

AXIS C1210-E Network Ceiling Speaker

Axis Communications · 02324-001

Specs 6.5 in ceiling speaker, 96 dB SPL, 40 Hz–20 kHz, 130° coverage, 7 W Class D, PoE.

Unit: pc PRICE ON REQUEST




KS-AV-02838-001 TO ORDER

AXIS C1410 Mk II Network Mini Speaker

Axis Communications · 02838-001

Specs network mini speaker with PoE and PIR sensor.

Unit: pc PRICE ON REQUEST




KS-AV-CONTROL-25-1L TO ORDER

JBL Control 25-1L surface-mount speaker

JBL · Control 25-1L

Unit: pc PRICE ON REQUEST




KS-AV-CONTROL-88M TO ORDER

JBL Control 88M outdoor speaker

JBL · Control 88M

Unit: pc PRICE ON REQUEST




KS-AV-KUBE-12-MIE TO ORDER

KEF KUBE 12 MIE powered subwoofer

KEF · KUBE 12 MIE

Unit: pc PRICE ON REQUEST




KS-AV-AWR-650-SM TO ORDER

Klipsch AWR-650-SM outdoor speaker

Klipsch · AWR-650-SM

Unit: pc PRICE ON REQUEST




KS-AV-PRO-180RPC TO ORDER

Klipsch PRO-180RPC in-ceiling speaker

Klipsch · PRO-180RPC

Unit: pc PRICE ON REQUEST




KS-AV-PRO-650-T-RK TO ORDER

Klipsch PRO-650-T-RK landscape speaker

Klipsch · PRO-650-T-RK

Unit: pc PRICE ON REQUEST




KS-AV-THX-5002-L TO ORDER

Klipsch THX-5002-L in-wall speaker

Klipsch · THX-5002-L

Unit: pc PRICE ON REQUEST




KS-AV-93351 TO ORDER

Sonance R1C White

Sonance · 93351

Specs Sonance R1C, White, 70Hz–30kHz, 5–150W RMS, 90dB, integrated enclosure.

Unit: pc PRICE ON REQUEST




KS-AV-93352 TO ORDER

Sonance R1CSUR White

Sonance · 93352

Specs Sonance R1CSUR, White, 70Hz–30kHz, 5–150W RMS, 90dB.

Unit: pc PRICE ON REQUEST




KS-AV-93358 TO ORDER

Sonance I12 Black

Sonance · 93358

Specs Sonance I12, Black, 12in woofer, 22Hz–250Hz, 400W RMS.

Unit: pc PRICE ON REQUEST




KS-AV-93370 TO ORDER

Sonance LS6T SAT Brown

Sonance · 93370

Specs Sonance LS6T SAT, Brown, 6.5in woofer, 55Hz–20kHz, 5–125W RMS, IP66, 70V/100V transformer taps.

Unit: pc PRICE ON REQUEST




KS-AV-93733 TO ORDER

Sonance VXXT6R SST

Sonance · 93733

Specs Sonance VXXT6R SST, Brilliant White (Satin), 6.5in dual-voice-coil round in-ceiling single-stereo speaker, IP66, 45Hz–20kHz, 5–125W RMS, 89dB, 8 ohms.

Unit: pc PRICE ON REQUEST




KS-AV-93734 TO ORDER

Sonance VXXT6

Sonance · 93734

Specs Sonance VXXT6, Brilliant White (Satin), 6.5in in-wall rectangle, IP66, 45Hz–20kHz, 5–125W RMS, 89dB, 8 ohms.

Unit: pc PRICE ON REQUEST




KS-AV-93736 TO ORDER

Sonance VXXT8RW

Sonance · 93736

Specs Sonance VXXT8RW, Brilliant White (Satin), 8in architectural subwoofer, IP67, marine grade, 35Hz–250Hz, 5–200W RMS, 90dB, 4 ohms.

Unit: pc PRICE ON REQUEST




KS-AV-93737 TO ORDER

Sonance VXXT10RW

Sonance · 93737

Specs Sonance VXXT10RW, Brilliant White (Satin), 10in architectural subwoofer, IP67, marine grade, 30Hz–250Hz, 5–300W RMS, 90dB, 4 ohms.

Unit: pc PRICE ON REQUEST




KS-AV-96014 TO ORDER

Sonance VX66R

Sonance · 96014

Specs Sonance VX66R, 6.5in round in-ceiling, 43Hz–20kHz, 5–140W RMS, 90dB, SKU 96014 is Brilliant White (Satin).

Unit: pc PRICE ON REQUEST



KS-AV-PS-S63T-MKII TO ORDER

Sonance PS-S63T MKII outdoor speaker

Sonance · PS-S63T MKII

Unit: pc PRICE ON REQUEST

AMPLIFIERS AND RECEIVERS 11



KS-AV-AVR-X1800H TO ORDER

Denon AVR-X1800H AV receiver

Denon · AVR-X1800H

Unit: pc PRICE ON REQUEST



KS-AV-AVR-X2800H TO ORDER

Denon AVR-X2800H AV receiver

Denon · AVR-X2800H

Unit: pc PRICE ON REQUEST



KS-AV-CINEMA-60 TO ORDER

Marantz CINEMA 60 AV receiver

Marantz · CINEMA 60

Unit: pc PRICE ON REQUEST



KS-AV-CINEMA-70S TO ORDER

Marantz CINEMA 70s AV receiver

Marantz · CINEMA 70s

Unit: pc PRICE ON REQUEST



KS-AV-AMP TO ORDER

Sonos Amp amplifier

Sonos · Amp

Unit: pc PRICE ON REQUEST



KS-AV-SONOS-AMP-MULTI TO ORDER

Sonos Amp Multi

Sonos

Unit: pc PRICE ON REQUEST



KS-AV-SONOS-PORT TO ORDER

Sonos Port

Sonos

Unit: pc PRICE ON REQUEST



KS-AV-AMP-ULTRA TO ORDER

WiiM Amp Ultra streaming amplifier

WiiM · Amp Ultra

Unit: pc PRICE ON REQUEST



KS-AV-PRO-PLUS TO ORDER

WiiM Pro Plus network streamer

WiiM · Pro Plus

Unit: pc PRICE ON REQUEST



KS-AV-ULTRA TO ORDER

WiiM Ultra network streamer

WiiM · Ultra

Unit: pc PRICE ON REQUEST




KS-AV-XDA-QS5400RK TO ORDER

Yamaha XDA-QS5400RK multi-zone streaming amplifier

Yamaha · XDA-QS5400RK

Unit: pc PRICE ON REQUEST

RACKS AND PASSIVE 2




KS-AV-92800 TO ORDER

Sonance 92800 pre-construction bracket

Sonance · 92800

Unit: pc PRICE ON REQUEST



KS-AV-SONOS-AMP-MULTI-RACK-MOUNT-2U TO ORDER

Sonos Amp Multi Rack Mount 2U


Sonos

Unit: pc PRICE ON REQUEST


ELV

NETWORKS & SECURITY

37 items · Delivery: Phuket · Thailand



NETWORK AND WI-FI 9




KS-NW-EAP650-OUTDOOR TO ORDER

TP-Link Omada EAP650-Outdoor access point

TP-Link Omada · EAP650-Outdoor

Standard Wi-Fi 6

Unit: pc PRICE ON REQUEST




KS-NW-EAP653 TO ORDER

TP-Link Omada EAP653 access point (Wi-Fi 6)

TP-Link Omada · EAP653

Standard Wi-Fi 6
Supply PoE

Unit: pc PRICE ON REQUEST




KS-NW-ER605 TO ORDER

TP-Link Omada ER605 router

TP-Link Omada · ER605

Unit: pc PRICE ON REQUEST




KS-NW-ER707-M2 TO ORDER

TP-Link Omada ER707-M2 router

TP-Link Omada · ER707-M2

Unit: pc PRICE ON REQUEST




KS-NW-U6 TO ORDER

UniFi U6+ access point (Wi-Fi 6), ceiling

Ubiquiti UniFi · U6+

Standard Wi-Fi 6
Supply PoE

Unit: pc PRICE ON REQUEST



KS-NW-U7-OUTDOOR TO ORDER

UniFi U7 Outdoor access point

Ubiquiti UniFi · U7 Outdoor

Standard Wi-Fi 7
Supply PoE

Unit: pc PRICE ON REQUEST




KS-NW-U7-PRO TO ORDER

UniFi U7 Pro access point (Wi-Fi 7), ceiling

Ubiquiti UniFi · U7 Pro

Standard Wi-Fi 7
Supply PoE+

Unit: pc PRICE ON REQUEST



KS-NW-UCG-MAX TO ORDER

UniFi Cloud Gateway Max (UCG-Max)

Ubiquiti UniFi · UCG-Max

Unit: pc PRICE ON REQUEST




KS-NW-UDM-PRO TO ORDER

UniFi Dream Machine Pro (UDM-Pro) security gateway

Ubiquiti UniFi · UDM-Pro

Unit: pc PRICE ON REQUEST

SWITCHES AND ACCESS 8




KS-NW-02101-002 TO ORDER

AXIS D8004 PoE+ Switch

Axis Communications · 02101-002

Specs unmanaged PoE+ switch, four PoE ports plus uplink, 60 W total PoE budget.

Unit: pc PRICE ON REQUEST




KS-NW-02369-001 TO ORDER

AXIS A1210-B Network Door Controller

Axis Communications · 02369-001

Specs one-door network controller, PoE Class 4, 12 VDC input.

Unit: pc PRICE ON REQUEST




KS-NW-02408-001 TO ORDER

AXIS I8116-E White Network Video Intercom

Axis Communications · 02408-001

Specs 5 MP network video intercom with SIP/ONVIF, IP65 and IK07.

Unit: pc PRICE ON REQUEST




KS-NW-03078-001 TO ORDER

AXIS A1710-B Network Door Controller

Axis Communications · 03078-001

Specs up to 4 doors, 8 OSDP readers and 8 locks.

Unit: pc PRICE ON REQUEST




KS-NW-03079-001 TO ORDER

AXIS A1810-B Network Door Controller

Axis Communications · 03079-001

Specs up to 8 doors, 16 OSDP readers and 16 locks.

Unit: pc PRICE ON REQUEST




KS-NW-SG2428P TO ORDER

TP-Link Omada SG2428P PoE switch

TP-Link Omada · SG2428P

Unit: pc PRICE ON REQUEST



KS-NW-USW-24-POE TO ORDER


UniFi USW-24-PoE (Gen2) switch

Ubiquiti UniFi · USW-24-PoE

Ports 24 × 1GbE

PoE budget 95 W

Unit: pc PRICE ON REQUEST



KS-NW-USW-PRO-24-POE TO ORDER

UniFi USW-Pro-24-PoE switch


Ubiquiti UniFi · USW-Pro-24-PoE

Ports 24 × 1GbE + 2 × 10G SFP+

PoE budget 400 W

Unit: pc PRICE ON REQUEST


CCTV 6



KS-NW-ETH-SPD-POE TO ORDER

Ethernet surge protector for outdoor cameras, PoE-compatible


Unit: pc PRICE ON REQUEST



KS-NW-HDD-SURV-4TB TO ORDER

Surveillance HDD 4 TB (WD Purple / Seagate SkyHawk)

Unit: pc PRICE ON REQUEST




KS-NW-DS-2CD2047G2-LU TO ORDER

Hikvision DS-2CD2047G2-LU 4 MP IP camera

Hikvision · DS-2CD2047G2-LU

Supply PoE

Unit: pc PRICE ON REQUEST




KS-NW-DS-7608NXI-K1-8P TO ORDER

Hikvision DS-7608NXI-K1/8P NVR, 8 channels, 8 PoE

Hikvision · DS-7608NXI-K1/8P

Channels 8

Unit: pc PRICE ON REQUEST




KS-NW-G5-BULLET TO ORDER

UniFi G5 Bullet IP camera

Ubiquiti UniFi · G5 Bullet

Supply PoE

Unit: pc PRICE ON REQUEST



KS-NW-G5-TURRET-ULTRA TO ORDER


UniFi G5 Turret Ultra IP camera

Ubiquiti UniFi · G5 Turret Ultra

Supply PoE

Unit: pc PRICE ON REQUEST

CONTROL AND AUTOMATION 5




KS-NW-100114 TO ORDER

Loxone Air Base Extension

Loxone · 100114

Specs Air Base Extension, 9–28V DC, up to 128 Air devices, encrypted mesh, SMA antenna connection.

Unit: pc PRICE ON REQUEST



KS-NW-100218 TO ORDER

Loxone Tree Extension

Loxone · 100218

Specs Tree Extension, 9–28V DC, two Tree branches, up to 50 devices per branch, max branch length up to 500m.

Unit: pc PRICE ON REQUEST



KS-NW-100325 TO ORDER

Loxone RGBW 24V Compact Dimmer Tree

Loxone · 100325

Specs RGBW 24V Compact Dimmer Tree, 12–28V DC, 4 PWM outputs, max 2.1A/channel, 200W total at 24V, max 30m cable to LED.

Unit: pc PRICE ON REQUEST




KS-NW-100512 TO ORDER

Loxone Miniserver Compact

Loxone · 100512

Specs Miniserver Compact. Integrated Tree, Air and Tree Turbo, 4 digital inputs, 2 potential-free relay outputs.

Unit: pc PRICE ON REQUEST




KS-NW-OC200 TO ORDER

TP-Link Omada OC200 hardware controller

TP-Link Omada · OC200

Unit: pc PRICE ON REQUEST


RACKS AND PASSIVE 5



KS-NW-PDU-19-8 TO ORDER

19" PDU, 8 outlets, with breaker

Unit: pc PRICE ON REQUEST




KS-NW-PP-CAT6-24 TO ORDER

Cat6 patch panel, 24 ports, 1U, with keystones

Ports 24

Height 1U

Unit: pc PRICE ON REQUEST




KS-NW-RACK-22U-600 TO ORDER

19" floor rack 22U 600×600 (600×800), glass door

Height 22U


Unit: pc PRICE ON REQUEST



KS-NW-UPS-RACK-1500 TO ORDER

Rack UPS 1000–1500 VA (line-interactive or online)

Unit: pc PRICE ON REQUEST




KS-NW-WALL-RJ45-1 TO ORDER

Wall data outlet RJ45, 1 port, white

Ports 1

Unit: pc PRICE ON REQUEST

CABLE AND WIRE 3




KS-NW-KJ-CAT6 TO ORDER

Cat6 RJ45 keystone jack

Category Cat6

Unit: pc PRICE ON REQUEST




KS-NW-PC-CAT6 TO ORDER

Cat6 patch cord, 0.5–1 m / 2 m

Category Cat6

Unit: pc PRICE ON REQUEST




KS-NW-RJ45-CAT6 TO ORDER

RJ45 Cat6 plugs with boots

Category Cat6

Unit: pack PRICE ON REQUEST

LIGHTNING PROTECTION AND EARTHING 1



KCH-DEHN-DS30 TO ORDER

DEHN DS30 — Sector antenna support for mast

DEHN · DS30

Material V2A


Type BS D50 SB50.300

Unit: — PRICE ON REQUEST


PLUMBING

PLUMBING

6 items · Delivery: Phuket · Thailand



PIPES AND FITTINGS 3




KS-PL-HDPE-63 TO ORDER

HDPE pipe Ø63 mm for underground runs

Material HDPE

Unit: m PRICE ON REQUEST




KS-PL-ANRO-20 TO ORDER

ANRO solar heat-transfer fluid, 20 kg

ANRO

Unit: can 20 kg PRICE ON REQUEST




KS-PL-SOLAR-PUMP-GROUP TO ORDER

Wolf solar pump group with mounting kit

Wolf

Unit: set PRICE ON REQUEST

EV CHARGING AND PANELS 2




KS-PL-SM1-2 TO ORDER

Wolf SM1-2 solar module

Wolf · SM1-2

Unit: pc PRICE ON REQUEST




KS-PL-TOPSON-F3-1 TO ORDER

Wolf TopSon F3-1 solar collector

Wolf · TopSon F3-1

Unit: pc PRICE ON REQUEST

CONTROL AND AUTOMATION 1



KS-PL-BM-2-SOLAR TO ORDER

Wolf BM-2-Solar control module


Wolf · BM-2-Solar

Unit: pc PRICE ON REQUEST


FINISH

FINISHING AND BUILDING MATERIALS

9 items · Delivery: Phuket · Thailand



BOARDS, TILES, ADHESIVES 8




KS-FN-761741 TO ORDER

ETOILE / SYMPHONIE Glossy Slab 1200×2400×6 mm

Florim / COTTO Italia · 761741

Unit: sheet PRICE ON REQUEST




KS-FN-774825 TO ORDER

HERITAGE AZURE Glossy Slab 1200×2400×6 mm

Florim / COTTO Italia · 774825

Unit: sheet PRICE ON REQUEST




KS-FN-8852404022919 TO ORDER

SCG Smartboard Lite Ceiling Board 1200×1200×3.5 mm

SCG Smartboard · 8852404022919

Specs 120x120x0.35 cm size, TIS 1427-2561 and ceiling use indoors/outdoors.

Unit: sheet PRICE ON REQUEST




KS-FN-8852404024548 TO ORDER

SCG Smartboard Groove Wall Panel 1200×2800×8 mm

SCG Smartboard · 8852404024548

Specs 120x280x0.8 cm size, 4-inch grooved decorative wall format and indoor/outdoor application.

Unit: sheet PRICE ON REQUEST




KS-FN-8852404084146 TO ORDER

SCG Smartboard Floor Board 1200×2400×15 mm

SCG Smartboard · 8852404084146

Specs 120x240x1.5 cm size, TIS 1427-2561 and intended floor use indoors/outdoors.

Unit: sheet PRICE ON REQUEST




KS-FN-SIKATILE-360-XL TO ORDER

SikaTile-360 XL Tile Adhesive

Sika · SikaTile-360 XL

Specs High-performance cement-based tile adhesive. 20/25 kg bags, application up to 100x100 cm and EN 12004 C1TE / ANSI A118.1 / TIS 2703-2566...

Unit: bag PRICE ON REQUEST




KS-FN-SIKATILE-470-XXL-BIG-SLAB TO ORDER

SikaTile-470 XXL Big Slab Tile Adhesive

Sika · SikaTile-470 XXL Big Slab

Specs Flexible big-slab tile adhesive. 25 kg bag, wall/floor interior/exterior use, waterproof-membrane compatibility and EN 12004 C2TES1 / ANSI A118.4...

Unit: bag PRICE ON REQUEST



KS-FN-SIKATOP-107-SEAL-TH TO ORDER


SikaTop-107 Seal TH Waterproofing Mortar

Sika · SikaTop-107 Seal TH

Specs Two-component polymer-modified cementitious waterproofing mortar. 25 kg and 5 kg sets and applications including wet rooms, balconies, swimming...

Unit: set PRICE ON REQUEST

LIGHTNING PROTECTION AND EARTHING 1



KCH-DEHN-C35-45 TO ORDER

DEHN C35/45 — Concrete block C35/45


DEHN · C35/45

Unit: — PRICE ON REQUEST


TOOLS

TOOLS AND CONSUMABLES

21 items · Delivery: Phuket · Thailand



MEASURING AND TESTERS 6




KS-TL-GLL-3-60-XG TO ORDER

Bosch GLL 3-60 XG line laser, 3×360°, green

Bosch · GLL 3-60 XG

Unit: pc PRICE ON REQUEST




KS-TL-GLL-3-80-CG TO ORDER

Bosch GLL 3-80 CG line laser, 3×360°, Bluetooth

Bosch · GLL 3-80 CG

Unit: pc PRICE ON REQUEST




KS-TL-GLL-30-G TO ORDER

Bosch GLL 30 G line laser, green, 2 lines

Bosch · GLL 30 G

Unit: pc PRICE ON REQUEST




KS-TL-GLL-50-G TO ORDER

Bosch GLL 50 G Professional line laser, green

Bosch · GLL 50 G

Unit: pc PRICE ON REQUEST




KS-TL-FLUKE-179 TO ORDER

Fluke 179 True-RMS Multimeter

Fluke · FLUKE-179

Unit: pc PRICE ON REQUEST




KS-TL-MS2-100 TO ORDER

Fluke Networks MicroScanner2 MS2-100

Fluke Networks · MS2-100

Unit: pc PRICE ON REQUEST

TERMINALS, COMPONENTS, CONSUMABLES 6




KS-TL-SUPER-33-20-X-19 TO ORDER

Scotch Super 33+ Vinyl Electrical Tape 19 mm × 20 m

3M / Scotch · SUPER 33+ 20 X 19

Specs Scotch Super 33+ 19 mm × 20 m, 600 V, -18°C to 105°C, UV-resistant.

Unit: pc PRICE ON REQUEST




KS-TL-AIS TO ORDER

G-Apex AIS Adhesive-Lined Dual-Wall Heat-Shrink Tubing

G-Apex · AIS

Unit: m PRICE ON REQUEST



KS-TL-G5 TO ORDER

G-Apex G5 General-Purpose Flame-Retardant Heat-Shrink Tubing

G-Apex · G5

Unit: m PRICE ON REQUEST




KS-TL-111-05000-T50R-PA66-BK TO ORDER

HellermannTyton T50R Cable Tie 200 × 4.6 mm, Black, 100 pcs

HellermannTyton · 111-05000 / T50R-PA66-BK

Specs T50R 200 × 4.6 mm black, PA66, 100 pcs/bag, 225 N, -40°C to +85°C, UV-Stabilised=No.

Unit: pack 100 шт PRICE ON REQUEST




KS-TL-151-41219-AT2-PA66-NA TO ORDER

HellermannTyton AT2 Cable Identification Plate 63 × 9 mm, Natural, 100 pcs

HellermannTyton · 151-41219 / AT2-PA66-NA

Specs HellermannTyton AT2 cable identification plate 63×9 mm, natural PA66, bag 100.

Unit: pack 100 шт PRICE ON REQUEST




KS-TL-W-1-PT TO ORDER

WOER W-1-PT Universal Flame-Retardant Heat-Shrink Tubing

WOER · W-1-PT

Unit: m PRICE ON REQUEST

ENCLOSURES AND BOARDS 3




KS-TL-ROVAL-COLD-GALVANIZING-SPRAY-420-ML TO ORDER

ROVAL Cold Galvanizing Spray 420 ml — 96% zinc in dry film

ROVAL · ROVAL Cold Galvanizing Spray 420 ml

Unit: can 420 ml PRICE ON REQUEST




KS-TL-ROVAL-MC-420-ML TO ORDER

ROVAL MC 420 ml Color-Matching Metallic Spray for Galvanized Materials

ROVAL · ROVAL MC 420 ml

Unit: can 420 ml PRICE ON REQUEST




KS-TL-ROVAL-ZC-420-ML TO ORDER

ROVAL ZC 420 ml Galvanizing Repair Metallic Spray — 69% zinc in dry film

ROVAL · ROVAL ZC 420 ml

Unit: can 420 ml PRICE ON REQUEST

POWER TOOLS 3




KS-TL-DGA404Z TO ORDER

Makita DGA404Z 18V LXT 100 mm Angle Grinder

Makita · DGA404Z

Specs 18V cordless angle grinder, tool-only. 100 mm wheel, 16 mm bore and 8,500 rpm.

Unit: pc PRICE ON REQUEST




KS-TL-DHP487Z TO ORDER

Makita DHP487Z 18V LXT Hammer Driver Drill

Makita · DHP487Z

Specs 18V LXT cordless hammer driver drill, tool-only. 13 mm chuck, 40/25 N·m max fastening torque, 0-1,700/500 rpm and masonry/steel/wood capacities...

Unit: pc PRICE ON REQUEST



KS-TL-DTD173Z TO ORDER


Makita DTD173Z 18V LXT Impact Driver

Makita · DTD173Z

Specs 18V LXT cordless impact driver, tool-only. 180 N·m max fastening torque, 6.35 mm hex shank, max 0-3,600 rpm, 111 mm overall length and four...

Unit: pc PRICE ON REQUEST

LIGHTNING PROTECTION AND EARTHING 2




KCH-DEHN-FRM10X50 TO ORDER

DEHN FRM10X50 — Spacer bars without fixing bush

DEHN · FRM10X50

Material V2A

Unit: — PRICE ON REQUEST



KCH-DEHN-SPB25 TO ORDER

DEHN SPB25 — Stainless steel mounting strap 25x0.3 mm


DEHN · SPB25

Size 25 x 0.3 mm

Material V2A

Unit: — PRICE ON REQUEST

CABLE AND WIRE 1



KS-TL-LIQ-100 TO ORDER

Fluke Networks LIQ-100 Cable & Network Tester

Fluke Networks · LIQ-100

Unit: pc PRICE ON REQUEST